



**CHOICE**<sup>SM</sup>  
Health Plans

A Medicare Advantage Program

## 2022 FORMULARY (LIST OF COVERED DRUGS)

## FORMULARIO DE MEDICAMENTOS 2022 (LISTADO DE MEDICAMENTOS CUBIERTOS)

## 2022 處方集 (給付藥品清單)

Approved Formulary  
Submission ID Number: \$\$\$ +%  
Version 0'

### VNSNY CHOICE EasyCare (HMO)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN**

This formulary was updated on 08/##+/2021. For more recent information or other questions, please contact VNSNY CHOICE EasyCare Member Services at 1-866-783-1444 or, for TTY users, 711, 7 days a week from 8 am to 8 pm or visit [www.vnsnychoice.org](http://www.vnsnychoice.org).

# **VNSNY CHOICE EasyCare (HMO D-SNP)**

## **2022 Formulary (List of Covered Drugs)**

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

Approved Formulary File Submission ID Number: 22093, Version: 05

This formulary was updated on 08/19/2021. For more recent information or other questions, please contact us at 1-866-783-1444 or, for TTY users, 711, 7 days a week from 8 am – 8 pm or visit [vnsnychoice.org](http://vnsnychoice.org).

When this drug list (formulary) refers to “we,” “us”, or “our,” it means VNSNY CHOICE EasyCare. When it refers to “plan” or “our plan,” it means VNSNY CHOICE EasyCare.

This document includes a list of the drugs (formulary) for our plan, which is current as of 08/19/2021. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front cover and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2022, and from time to time during the year.

H5549\_CY2022\_EC\_012 Formulary\_C

## What is the VNSNY CHOICE EasyCare Formulary?

A formulary is a list of covered drugs selected by VNSNY CHOICE EasyCare in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. VNSNY CHOICE EasyCare will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a VNSNY CHOICE EasyCare network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your *Evidence of Coverage*.

## Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but VNSNY CHOICE EasyCare may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information how to request an exception, and you can also find information in the section below titled “How do I request an exception to the VNSNY CHOICE EasyCare Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior

authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

- If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the VNSNY CHOICE EasyCare Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2021 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2021 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 08/19/2021. To get updated information about the drugs covered by VNSNY CHOICE EasyCare, please contact us. Our contact information appears on the front cover and back cover pages. If we update our printed formulary with non-maintenance formulary changes, we will send you a notice that includes this information.

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular”. If you know what your drug is used for, look for the category name in the list that begins on page 3. Then look under the category name for your drug.

## **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are generic drugs?**

VNSNY CHOICE EasyCare covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

## **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** VNSNY CHOICE EasyCare requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from VNSNY CHOICE EasyCare before you fill your prescriptions. If you don't get approval, VNSNY CHOICE EasyCare may not cover the drug.
- **Quantity Limits:** For certain drugs, VNSNY CHOICE EasyCare limits the amount of the drug that VNSNY CHOICE EasyCare will cover. For example, VNSNY CHOICE EasyCare provides Celecoxib in varying quantities, depending on strength. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, VNSNY CHOICE EasyCare requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, VNSNY CHOICE EasyCare may not cover Drug B unless you try Drug A first. If Drug A does not work for you, VNSNY CHOICE EasyCare will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front cover and back cover pages.

You can ask VNSNY CHOICE EasyCare to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the

section, “How do I request an exception to the VNSNY CHOICE EasyCare formulary?” on page VI for information about how to request an exception.

### What are over-the-counter (OTC) drugs?

OTC drugs are non-prescription drugs that are not normally covered by a Medicare Prescription Drug Plan. VNSNY CHOICE EasyCare pays for certain OTC drugs.

#### COVERED OVER-THE-COUNTER (OTC) DRUGS

DRUG		Dosage Form
Generic Name	(Reference Brand Name)	
<i>Cetirizine Hydrochloride</i>	(Zyrtec)	Chewable Tablets, Solution, Tablets
<i>Cetirizine Hydrochloride/ Pseudoephedrine Hydrochloride</i>	(Zyrtec-D)	12 Hour Tablets
<i>Fexofenadine Hydrochloride</i>	(Allegra)	12 hour tablets, 24 hour tablets rapdis, suspension
<i>Fexofenadine/Pseudoephedrine Hydrochloride</i>	(Allegra-D)	12 hour tablets, 24 Hour Tablet
<i>Ketotifen Fumarate</i>	(Zaditor)	Ophthalmic Drops
<i>Levocetirizine Dihydrochloride</i>	(Xyzal)	Solution, Tablets
<i>Loratadine</i>	(Claritin)	Solution, Tablets, tablets rapdis, Chewable tablets
<i>Loratadine/ Pseudoephedrine Hydrochloride</i>	(Claritin-D)	12 Hour Tablets 24 Hour Tablets
<i>Olopatadine Hydrochloride</i>	(Pataday)	Ophthalmic Drops

VNSNY CHOICE EasyCare will provide these OTC drugs at no cost to you. The cost to VNSNY CHOICE EasyCare of these OTC drugs will not count toward your total Part D drug costs (that is, the cost of the OTC drugs does not count for the coverage gap.)

### What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact the CHOICE EasyCare Care Team and ask if your drug is covered.

If you learn that VNSNY CHOICE EasyCare does not cover your drug, you have two options:

- You can ask the CHOICE EasyCare Care Team for a list of similar drugs that are covered by VNSNY CHOICE EasyCare. When you receive the list, show it to

your doctor and ask him or her to prescribe a similar drug that is covered by VNSNY CHOICE EasyCare.

- You can ask VNSNY CHOICE EasyCare to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the VNSNY CHOICE EasyCare Formulary?**

You can ask VNSNY CHOICE EasyCare to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level unless the drug is on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, VNSNY CHOICE EasyCare limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, VNSNY CHOICE EasyCare will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary, tiering or utilization restriction exception, you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill

your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 31-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 31-day supply of medication. After your first 31-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

A transition fill is provided to current members that are in need of a one-time Emergency Fill or that are prescribed a non-formulary drug as a result of a level of care change.

### **For more information**

For more detailed information about your VNSNY CHOICE EasyCare prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about VNSNY CHOICE EasyCare, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front cover and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 day a week. TTY users should call 1-877-486-2048. Or, visit [www.medicare.gov](http://www.medicare.gov).

This information is available for free in other languages. Please call The CHOICE Care Team at 1-866-783-1444 for additional information. (TTY users should call 711 toll free) 7 days a week from 8 am to 8 pm. The CHOICE Care Team also has free language interpreter services available for non-English speakers.



# VNSNY CHOICE EasyCare's Formulary

The formulary that begins on page 3 provides coverage information about the drugs covered by VNSNY CHOICE EasyCare. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., CELEBREX) and generic drugs are listed in lower-case italics (e.g., *naproxen*).

The information in the Requirements/Limits column tells you if VNSNY CHOICE EasyCare has any special requirements for coverage of your drug.

**Please see the following for an explanation of the Drug Tier columns listed in your formulary. See your Chapter 6 of Evidence of Coverage for actual copayments.**

Tier 1: Preferred Generic Drugs

Tier 2: Generic Drugs

Tier 3: Preferred Brand Name Drugs

Tier 4: Non-Preferred Brand Name Drugs

Tier 5: Speciality Drugs

Tier 6: Select Care Drugs

**The following Utilization Management abbreviations may be found  
within the body of this document**

**COVERAGE NOTES ABBREVIATIONS**

ABBREVIATION	DESCRIPTION	EXPLANATION
<b>Utilization Management Restrictions</b>		
PA	Prior Authorization Restriction	You (or your physician) are required to get prior authorization from VNSNY CHOICE EasyCare before you fill your prescription for this drug. Without prior approval, VNSNY CHOICE EasyCare may not cover this drug.
PA BvD	Prior Authorization Restriction for Part B vs Part D Determination	This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from VNSNY CHOICE EasyCare to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, VNSNY CHOICE EasyCare may not cover this drug.
PA-HRM	Prior Authorization Restriction for High Risk Medications	This drug has been deemed by CMS to be potentially harmful and therefore, a High Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 years or older are required to get prior authorization from VNSNY CHOICE EasyCare before you fill your prescription for this drug. Without prior approval, VNSNY CHOICE EasyCare may not cover this drug.
PA NSO	Prior Authorization Restriction for New Starts Only	If you are a new member, you (or your physician) are required to get prior authorization from VNSNY CHOICE EasyCare before you fill your prescription for this drug. Without prior approval, VNSNY CHOICE EasyCare may not cover this drug.

ABBREVIATION	DESCRIPTION	EXPLANATION
QL	Quantity Limit Restriction	VNSNY CHOICE EasyCare limits the amount of this drug that is covered per prescription, or within a specific time frame.
ST	Step Therapy Restriction	Before VNSNY CHOICE EasyCare will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you.

**The following additional coverage note abbreviations may be found within the body of this document**

### OTHER SPECIAL REQUIREMENTS FOR COVERAGE

ABBREVIATION	DESCRIPTION	EXPLANATION
LA	Limited Access Drug	This prescription may be available only at certain pharmacies. For more information consult your <i>Provider</i> and <i>Pharmacy Directory</i> or call the CHOICE Care Team at 1-866-783-1444, 7 days a week from 8 am to 8 pm. TTY users should call 711.
NM	Non-Mail Order Drug	You may be able to receive greater than a 1-month supply of most of the drugs on your formulary via mail order at a reduced cost share. Drugs <u>not</u> available via your mail order benefit are noted with “NM” in the Requirements/Limits column of your formulary.
NDS	Non-Extended Day Supply	Those drugs that are limited to a 30-day supply are noted as ‘NDS’ (non-extended day supply) in the Requirements/Limits column of your formulary.

## STRENGTH AND DOSAGE FORM ABBREVIATIONS

ABBREVIATION	DESCRIPTION
adh. patch	adhesive patch
aer br act	aerosol, breath activated
aer pow	aerosol, powder
aer pow ba	aerosol powder, breath activated
aer refill	aerosol refill
aer w/adap	aerosol with adapter
ampul	ampule
blkbaginj	bulk bag injection
cap dr mp	capsule, delayed release multiphasic
cap ds pk	capsule, dose pack
cap er 12h	capsule, 12 hour extended release
cap er 24h	capsule, 24 hour extended release
cap er deg	capsule, extended release degradable
cap er pel	capsule, extended release pellets
cap mphase	capsule, multiphasic
cap.sa 24h	capsule, 24 hour sustained action
cap.sr 12h	capsule, 12 hour sustained release
cap.sr 24h	capsule, 24 hour sustained release
cap24h pct	capsule, 24 hour controlled-onset pellets
cap24h pel	capsule, 24 hour sustained release pellets
cap sprink	capsule, sprinkle
cap sr pel	capsule sustained release pellets
cap w/dev	capsule with device
capsule dr	capsule, delayed release
capsule er	capsule, extended release
capsule sa	capsule, sustained action
cmb cappad	combination: capsule, pad
cmb ont fm	combination: ointment, foam
cmb ont lt	combination: ointment, lotion
cmb tabpad	combination: tablet, pad
combo. pkg	combination package
cpmp 12hr	capsule, 12 hour multiphasic
cpmp 24hr	capsule, 24 hour multiphasic

ABBREVIATION	DESCRIPTION
cpmp 30-70	capsule, multiphasic, 30%-70%
cpmp 50-50	capsule, multiphasic, 50%-50%
cream(g), cream(gm)	cream (grams)
cream(ml)	cream (milliliters)
cream/appl	cream with applicator
cream, er (g)	cream, extended release (grams)
cream pack	cream, package
dehp fr bg	di(2-ethylhexyl)phthalate free bag
dis needle	disposable needle
disk w/dev	disk with inhalation device
disp syrin	disposable syringe
drops susp	drops, suspension
drps hpvis	drops, hyperviscous
emul adhes	emulsion adhesive
emul packt	emulsion packet
emulsn(g)	emulsion (grams)
foam/appl.	foam with applicator
froz.piggy	frozen piggyback
g	gram
gel/pf app	gel with prefilled applicator
gel (gm)	gel (grams)
gel (ml)	gel (milliliters)
gel md pmp	gel in metered dose pump
gel w/appl	gel with applicator
gel w/pump	gel with pump
gran pack	granule pack
hfa aer ad	hfa aerosol adapter
infus. btl	infusion bottle
insuln pen	insulin pen
ip soln	intraperitoneal solution
irrig soln	irrigating solution
iv soln.	intravenous solution
jel	jelly
jelly/app	jelly with applicator
jel/pf app	jelly with pre-filled applicator

<b>ABBREVIATION</b>	<b>DESCRIPTION</b>
kit cl&crm	kit: cleanser and cream
kt crm le	kit: cream, lotion emollient
kt lotn ce	kit: lotion, cream emollient
kt oint le	kit: ointment, lotion emollient
lotion, er	lotion, extended release
lozenge hd	lozenge handle
m.ht patch	medicated heated patch
ma buc tab	mucoadhesive buccal tablet
mcg	microgram
med. pad	medicated pad
med. swab	medicated swab
med. tape	medicated tape
mg	milligram
ml	milliliter
muc er 12h	mucoadhesive system, 12 hour extended release
ndl fr inj	needle for injection
nl fm susp	nail film suspension
oint. (g), oint.(gm)	ointment (grams)
oral conc	oral concentrate
oral susp	oral suspension
paste (g)	paste (grams)
patch td24	patch, 24 hour transdermal
patch td72	patch, 72 hour transdermal
patch tds	patch, biweekly transdermal
patch tdwk	patch, weekly transdermal
pca syring	patient-controlled analgesic syringe
pca vial	patient-controlled analgesic vial
pellet(ea)	pellet (each)
pen ij kit	pen injector kit
pen injctr	pen injector
pggybk btl	piggyback bottle
plast. bag	plastic bag
powd pack	powder pack
sol md pmp	solution with multi-dose pump
sol w/appl	solution with applicator

<b>ABBREVIATION</b>	<b>DESCRIPTION</b>
sol/pf app	solution with pre-filled applicator
sol-gel	solution, gel-forming
soln recon	solution, reconstituted
soln(gram)	solution (grams)
spray susp	spray, suspension
spray/pump	spray with pump
stick(ea)	stick (each)
supp.rect	suppository, rectal
supp.vag	suppository, vaginal
suppos.	suppository
sus er 24h	suspension, 24 hour extended release
sus er rec	suspension, extended release reconstituted
sus mc rec	suspension, microcapsule reconstituted
suspdr pkt	suspension, delayed release packet
susp recon	suspension, reconstituted
syringekit	syringe kit
tab chew	tablet, chewable
tab er 12h	tablet, 12 hour extended release
tab er 24h	tablet, 24 hour extended release
tab er prt	tablet, extended release particles
tab er seq	tablet, extended release sequels
tab disper	tablet, dispersible
tab ds pk	tablet, dose pack
tab er 24	tablet, 24 hour extended release
tab mphase	tablet, multiphasic
tab part	tablet, particles
tab rap dr	tablet, rapid disintegrating delayed release
tab rapdis	tablet, rapid disintegrating
tab subl	tablet, sublingual
tab.sr 12h	tablet, 12 hour sustained release
tab.sr 24h	tablet, 24 hour sustained release
tabergr24hr	tablet, 24 hour gradual extended release
tablet dr	tablet, delayed release
tablet, er	tablet, extended release
tablet eff	tablet, effervescent

ABBREVIATION	DESCRIPTION
tablet sa	tablet, sustained action
tablet sol	tablet, soluble
tb er dspk	tablet, extended release dose pack
tb mp dspk	tablet, multiphasic dose pack
tb rd dspk	tablet, rapid disintegrating dose pack
tb dspk 3mo	tablet, 3-month dose pack
tb mp 12hr	tablet, 12 hour multiphasic
tb mp 24hr	tablet, 24 hour multiphasic
u	unit
vag ring	vaginal ring



# **VNSNY CHOICE EasyCare (HMO D-SNP)**

## **Formulario 2022**

### **(Lista de medicamentos cubiertos)**

**LEA DETENIDAMENTE: ESTE DOCUMENTO CONTIENE INFORMACIÓN  
SOBRE LOS MEDICAMENTOS QUE CUBRIMOS EN ESTE PLAN**

Número de identificación de la presentación del archivo  
del formulario aprobado: 22093, Versión: 05

Este formulario se actualizó el 19/08/2021. Para obtener información más reciente u si tiene otras preguntas, comuníquese con nosotros al 1-866-783-1444 o, para los usuarios de TTY, al 711, los 7 días de la semana, de 8:00 a. m. a 8:00 p. m. o visite [vnsnychoice.org](http://vnsnychoice.org).

Cuando esta lista de medicamentos (formulario) se refiere a “nosotros”, “nos” o “nuestro”, significa VNSNY CHOICE EasyCare. Cuando se refiere a “plan” o “nuestro plan”, significa VNSNY CHOICE EasyCare.

Este documento incluye una lista de los medicamentos (formulario) para nuestro plan, que está actualizada a partir del 19/08/2021. Para obtener un formulario actualizado, comuníquese con nosotros. Nuestra información de contacto, junto con la fecha de la última actualización del formulario, aparecen en la portada y la contraportada.

Por lo general, debe utilizar farmacias de la red de servicios para acceder a su beneficio de medicamentos recetados. Los beneficios, el formulario, la red de farmacias, los copagos o el coseguro pueden cambiar el 1 de enero de 2022 y ocasionalmente durante el año.

## ¿Qué es el Formulario de VNSNY CHOICE EasyCare?

Un formulario es una lista de medicamentos cubiertos seleccionados por VNSNY CHOICE EasyCare en consulta con un equipo de proveedores de atención médica, que representa los tratamientos recetados que se consideran parte necesaria de un programa de tratamiento de calidad. VNSNY CHOICE EasyCare, por lo general, cubrirá los medicamentos enumerados en nuestro formulario, siempre y cuando el medicamento sea médicamente necesario, la receta se surta en una farmacia de la red de VNSNY CHOICE EasyCare y se cumplan otras reglas del plan. Para obtener más información sobre cómo surtir sus recetas, revise su Evidencia de cobertura.

## ¿Puede cambiar el Formulario (lista de medicamentos)?

La mayoría de los cambios en la cobertura de medicamentos ocurren el 1 de enero, pero VNSNY CHOICE EasyCare puede agregar o quitar medicamentos de la Lista de medicamentos durante el año, moverlos a diferentes niveles de costo compartido o agregar nuevas restricciones. Debemos seguir las normas de Medicare al realizar estos cambios.

**Modificaciones que pueden afectarlo este año:** En los siguientes casos, usted se verá afectado por los cambios en la cobertura durante el año:

- **Nuevos medicamentos genéricos:** es posible que eliminemos de manera inmediata un medicamento de marca de nuestra Lista de medicamentos si lo reemplazamos por un nuevo medicamento genérico que aparecerá en el mismo nivel de costo compartido o uno menor, y con las mismas restricciones o menos. Además, al agregar un nuevo medicamento genérico, podemos decidir mantener el medicamento de marca en nuestra Lista de medicamentos, pero lo moveremos inmediatamente a un nivel de costo compartido diferente o agregaremos nuevas restricciones. Si actualmente toma ese medicamento de marca, es posible que no le indiquemos con anticipación antes de que realicemos ese cambio, pero le proporcionaremos información sobre los cambios específicos que realizamos.
  - Si hacemos ese cambio, usted o la persona autorizada a dar recetas pueden solicitarnos que hagamos una excepción y sigamos cubriendo el medicamento de marca para usted. El aviso que le proporcionamos también incluirá información sobre cómo solicitar una excepción, y también puede encontrar información en la sección a continuación titulada “¿Cómo solicito una excepción al Formulario de VNSNY CHOICE EasyCare?”.
- **Medicamentos retirados del mercado:** si la Administración de Alimentos y Medicamentos (FDA) considera que un medicamento de nuestro formulario no es seguro o el fabricante lo retira del mercado, lo retiraremos inmediatamente de nuestro formulario y lo notificaremos a los miembros que lo toman.
- **Otros cambios:** es posible que hagamos otros cambios que afecten a los

miembros que actualmente toman un medicamento. Por ejemplo, podemos agregar un nuevo medicamento genérico para sustituir a un medicamento de marca actualmente en el formulario o agregar nuevas restricciones al medicamento de marca o moverlo a un nivel diferente de costo compartido, o ambos. O es posible que hagamos cambios con base en nuevas pautas clínicas. Si eliminamos medicamentos de nuestro formulario, o agregamos autorización previa, límites de cantidad y/o restricciones de tratamiento escalonado a un medicamento, o movemos un medicamento a un nivel de costo compartido más alto, debemos notificar el cambio a los miembros afectados al menos 30 días antes de que el cambio entre en vigencia, o en el momento en que el miembro solicite un resuministro del medicamento, momento en el que miembro recibirá un suministro para 30 días del medicamento.

- Si hacemos estos otros cambios, usted o la persona autorizada a dar recetas pueden solicitarnos que hagamos una excepción y sigamos cubriendo el medicamento de marca para usted. El aviso que le proporcionamos también incluirá información sobre cómo solicitar una excepción, y también puede encontrar información en la sección a continuación titulada “¿Cómo solicito una excepción al Formulario de VNSNY CHOICE EasyCare?”.

**Cambios que no le afectarán si actualmente está tomando el medicamento:** por lo general, si está tomando un medicamento de nuestro formulario de 2021 que estaba cubierto al principio del año, no suspenderemos ni reduciremos la cobertura del medicamento durante el año de cobertura 2021, excepto en los casos descritos anteriormente. Esto significa que estos medicamentos seguirán estando disponibles con el mismo costo compartido y sin nuevas restricciones para los miembros que los tomen durante el resto del año de cobertura. Usted no recibirá un aviso directo este año sobre los cambios que no lo afecten. No obstante, dichos cambios lo afectarán a partir del 1 de enero del año siguiente y es importante que consulte la Lista de medicamentos del nuevo año de beneficios para conocer los cambios en los medicamentos.

El formulario adjunto está actualizado a partir del 19/08/2021. Para obtener información actualizada sobre los medicamentos cubiertos por VNSNY CHOICE EasyCare, comuníquese con nosotros. Nuestra información para contacto aparece en la portada y en la contraportada. Si actualizamos nuestro formulario impreso con cambios que no sean de mantenimiento, le enviaremos un aviso que incluya esta información.

## **¿Cómo se utiliza el Formulario?**

Hay dos maneras de encontrar su medicamento dentro del formulario:

## **Afección médica**

El formulario comienza en la página 3. Los medicamentos de este formulario están agrupados en categorías según el tipo de afecciones médicas para las que se utilizan. Por ejemplo, los medicamentos utilizados para tratar una afección cardíaca se enumeran en la categoría “Cardiovascular”. Si sabe para qué se utiliza su medicamento, busque el nombre de la categoría en la lista que comienza en la página 3. Luego, busque su medicamento debajo del nombre de la categoría.

## **Listado alfabético**

Si no está seguro de en qué categoría debe buscar, debe buscar su medicamento en el Índice que comienza en la página I-1. El Índice ofrece una lista alfabética de todos los medicamentos incluidos en este documento. Tanto los medicamentos de marca como los genéricos se enumeran en el Índice. Busque en el Índice su medicamento. Al lado de su medicamento, verá el número de página donde puede encontrar información sobre la cobertura. Vaya a la página del Índice y busque el nombre de su medicamento en la primera columna de la lista.

## **¿Qué son los medicamentos genéricos?**

VNSNY CHOICE EasyCare cubre tanto los medicamentos de marca como los genéricos. Un medicamento genérico está aprobado por la FDA por tener el mismo principio activo que el medicamento de marca. Por lo general, los medicamentos genéricos cuestan menos que los de marca.

## **¿Hay alguna restricción con respecto a mi cobertura?**

Algunos medicamentos cubiertos pueden tener requisitos o límites adicionales de cobertura. Estos requisitos y límites pueden incluir:

- **Autorización previa:** VNSNY CHOICE EasyCare requiere que usted o su médico obtengan una autorización previa para ciertos medicamentos. Esto significa que deberá obtener la aprobación de VNSNY CHOICE EasyCare antes de surtir las recetas para sus medicamentos. Si no tienen la aprobación, es posible que VNSNY CHOICE EasyCare no cubra el medicamento.
- **Límites de cantidad:** para ciertos medicamentos, VNSNY CHOICE EasyCare establece un límite en la cantidad del medicamento que cubrirá VNSNY CHOICE EasyCare. Por ejemplo, VNSNY CHOICE EasyCare proporciona Celocoxib en cantidades variables, según la concentración. Esto puede ser adicional al suministro estándar de un mes o tres meses.

- **Tratamiento escalonado:** en algunos casos, VNSNY CHOICE EasyCare exige que primero intente tratar su afección médica con otros medicamentos antes de que cubramos otro medicamento para esa afección. Por ejemplo, si el Medicamento A y el Medicamento B tratan su afección médica, VNSNY CHOICE EasyCare podría no cubrir el Medicamento B a menos que usted pruebe primero el Medicamento A. Si el Medicamento A no funciona para usted, VNSNY CHOICE EasyCare cubrirá el Medicamento B.

Puede averiguar si su medicamento tiene requisitos o límites adicionales en el formulario que comienza en la página 3. También puede obtener más información sobre las restricciones aplicadas a determinados medicamentos cubiertos al visitar nuestra página web. Hemos publicado documentos en línea que explican nuestras restricciones de autorización previa y tratamiento escalonado. También puede pedirnos que le enviemos una copia. Nuestra información de contacto, junto con la fecha de la última actualización del formulario, aparecen en la portada y la contraportada.

Usted puede solicitar a VNSNY CHOICE EasyCare que haga una excepción a estas restricciones o límites o una lista de otros medicamentos similares que puedan tratar su afección médica. Consulte la sección, “¿Cómo solicito una excepción al Formulario de VNSNY CHOICE EasyCare?” en la página VI para obtener información sobre cómo solicitar una excepción.

### ¿Qué son los medicamentos de venta libre (OTC)?

Los medicamentos OTC son medicamentos no recetados que normalmente no están cubiertos por un plan de medicamentos recetados de Medicare. VNSNY CHOICE EasyCare paga ciertos medicamentos OTC.

#### MEDICAMENTOS DE VENTA LIBRE (OTC)

MEDICAMENTO		Forma de dosificación
Nombre genérico	(Nombre de marca de referencia)	
<i>Clorhidrato de cetirizina</i>	(Zyrtec)	Comprimidos masticables, solución, comprimidos
<i>Clorhidrato de cetirizina/ Clorhidrato de pseudoefedrina</i>	(Zyrtec-D)	Comprimidos de 12 horas
<i>Clorhidrato de fexofenadina</i>	(Allegra)	Comprimidos de 12 horas, comprimidos de 24 horas rapidis, suspensión

<b>MEDICAMENTO</b>		<b>Forma de dosificación</b>
<b>Nombre genérico</b>	<b>(Nombre de marca de referencia)</b>	
<i>Fexofenadina/Clorhidrato de pseudoefedrina</i>	(Allegra-D)	Comprimidos de 12 horas, comprimidos de 24 horas
<i>Ketotifeno fumarato</i>	(Zaditor)	Gotas oftalmológicas
<i>Levocetirizina dihidrocloruro</i>	(Xyzal)	Solución, comprimidos
<i>Loratadina</i>	(Claritin)	Solución, comprimidos, comprimidos rapdis, comprimidos masticables
<i>Loratadina/Clorhidrato de pseudoefedrina</i>	(Claritin-D)	Comprimidos de 12 horas Comprimidos de 24 horas
<i>Clorhidrato de olopatadina</i>	(Pataday)	Gotas oftalmológicas

VNSNY CHOICE EasyCare le proporcionará estos medicamentos OTC sin costo alguno para usted. El costo para VNSNY CHOICE EasyCare de estos medicamentos OTC no contará para sus costos totales de medicamentos de la Parte D (es decir, el costo de los medicamentos OTC no cuenta para el período sin cobertura).

### **¿Qué pasa si mi medicamento no está en el Formulario?**

Si su medicamento no está incluido en este formulario (lista de medicamentos cubiertos), primero debe comunicarse con el equipo de atención al cliente de CHOICE EasyCare y preguntar si su medicamento está cubierto.

Si se entera de que VNSNY CHOICE EasyCare no cubre su medicamento, tiene dos opciones:

- Puede solicitar al equipo de atención al cliente de CHOICE EasyCare una lista de medicamentos similares que están cubiertos por VNSNY CHOICE EasyCare. Cuando reciba la lista, muéstresela a su médico y pídale que le recete un medicamento similar que esté cubierto por VNSNY CHOICE EasyCare.
- Puede solicitar a VNSNY CHOICE EasyCare que haga una excepción y cubra su medicamento. Vea a continuación la información sobre cómo solicitar una excepción.

## ¿Cómo solicito una excepción al Formulario de VNSNY CHOICE EasyCare?

Puede solicitar a VNSNY CHOICE EasyCare que haga una excepción a nuestras reglas de cobertura. Hay varios tipos de excepciones que puede solicitarnos.

- Puede solicitarnos que cubramos un medicamento, aunque no esté en nuestro formulario. Si se aprueba, este medicamento estará cubierto a un nivel de costo compartido predeterminado, y usted no podrá pedirnos que le proporcionemos el medicamento a un menor nivel de costo compartido.
- Puede solicitarnos que cubramos un medicamento del formulario a un menor nivel de costo compartido, a menos que el medicamento esté en el nivel de especialidad. Si se aprueba, esto reduciría la cantidad que debe pagar por su medicamento.
- Puede solicitarnos que eliminemos las restricciones o límites de cobertura de su medicamento. Por ejemplo, para ciertos medicamentos, VNSNY CHOICE EasyCare establece un límite en la cantidad del medicamento que cubriremos. Si su medicamento tiene un límite de cantidad, puede pedirnos que no apliquemos el límite y cubramos una mayor cantidad.

Por lo general, VNSNY CHOICE EasyCare solo aprobará su solicitud de excepción si los medicamentos alternativos incluidos en el formulario del plan, el medicamento de menor costo compartido o las restricciones de utilización adicionales no fueran tan efectivos para tratar su afección y/o le causaran efectos médicos adversos.

Debe comunicarse con nosotros para solicitarnos una decisión de cobertura inicial para una excepción al formulario, a los niveles o a las restricciones de utilización. **Cuando solicite una excepción al formulario, a los niveles o a las restricciones de utilización, deberá presentar una declaración de la persona autorizada a dar recetas o su médico que apoye su solicitud.** Por lo general, debemos tomar nuestra decisión en un plazo de 72 horas después de recibir la declaración justificativa de la persona autorizada a dar recetas. Puede solicitar una excepción acelerada (rápida) si usted o su médico creen que su salud podría verse seriamente perjudicada si espera hasta 72 horas por una decisión. Si se concede su solicitud de excepción acelerada, debemos informarle nuestra decisión, como máximo, 24 horas después de que recibamos una declaración de apoyo de su médico u otra persona autorizada a dar recetas.

## ¿Qué debo hacer antes de hablar con mi médico para cambiar mis medicamentos o solicitar una excepción?

Como nuevo miembro o que continúa en nuestro plan, es posible que tome medicamentos que no están en nuestro formulario. O bien, es posible que esté tomando un medicamento que está en nuestro formulario, pero su capacidad para obtenerlo es limitada. Por ejemplo, es posible que necesite una autorización previa de nuestra parte antes de poder surtir su

receta. Debe hablar con su médico para decidir si debe cambiar a un medicamento apropiado que cubramos o solicitar una excepción al formulario para que cubramos el medicamento que toma. Mientras habla con su médico para determinar el curso de acción adecuado para usted, es posible que cubramos su medicamento en ciertos casos durante los primeros 90 días que sea miembro de nuestro plan.

Para cada uno de sus medicamentos que no esté en nuestro formulario o si su capacidad para obtenerlos es limitada, cubriremos un suministro temporal para 31 días. Si su receta está indicada para menos días, permitiremos obtener resurtidos por un suministro máximo para 31 días del medicamento. Después del primer suministro de 31 días, no pagaremos estos medicamentos, incluso si ha sido miembro del plan durante menos de 90 días.

Si es residente de un centro de atención a largo plazo y necesita un medicamento que no se encuentra en nuestro formulario o si su capacidad de obtener el medicamento es limitada, pero ya pasaron los primeros 90 días como miembro de nuestro plan, cubriremos un suministro de emergencia para 31 días de ese medicamento mientras busca una excepción al formulario.

Se proporciona un suministro de transición a los miembros actuales que necesitan un suministro de emergencia por única vez o a los que se les prescribe un medicamento no incluido en el formulario como resultado de un cambio en el nivel de atención.

## **Para obtener más información**

Para obtener información más detallada sobre su cobertura de medicamentos recetados de VNSNY CHOICE EasyCare, revise su Evidencia de cobertura y otros materiales del plan.

Si tiene preguntas sobre VNSNY CHOICE EasyCare, comuníquese con nosotros. Nuestra información de contacto, junto con la fecha de la última actualización del formulario, aparecen en la portada y la contraportada.

Si tiene preguntas generales sobre la cobertura de medicamentos recetados de Medicare, llame a Medicare al 1-800-MEDICARE (1-800-633-4227) las 24 horas, los 7 días de la semana.

Los usuarios de TTY deben llamar al 1-877-486-2048. O visite [www.medicare.gov](http://www.medicare.gov).

Esta información está disponible sin cargo en otros idiomas. Llame al equipo de atención al cliente de CHOICE EasyCare al 1-866-783-1444 para obtener más información. (Los usuarios de TTY deben llamar al 711) los 7 días de la semana de 8:00 a. m. a 8:00 p. m. El equipo de atención al cliente de CHOICE EasyCare también ofrece servicios gratuitos de intérpretes para las personas que no hablan inglés.



## Formulario de VNSNY CHOICE EasyCare

El formulario que comienza en la página 3 brinda información sobre los medicamentos cubiertos por VNSNY CHOICE EasyCare. Si tiene problemas para encontrar su medicamento en la lista, consulte el índice que comienza en la página I-1.

La primera columna de la tabla enumera el nombre del medicamento. Los medicamentos de marca se escriben en mayúsculas (por ejemplo, CELEBREX) y los medicamentos genéricos se enumeran en minúsculas y cursiva (por ejemplo, *naproxeno*).

La información en la columna de Requisitos/Límites le indica si VNSNY CHOICE EasyCare tiene algún requisito especial para la cobertura de su medicamento.

**Vea lo siguiente para una explicación de las columnas de niveles de medicamentos que se enumeran en su formulario. Consulte el Capítulo 6 de la Evidencia de cobertura para conocer los copagos reales.**

Nivel 1: Medicamentos genéricos preferidos

Nivel 2: Medicamentos genéricos

Nivel 3: Medicamentos de marca preferidos

Nivel 4: Medicamentos de marca no preferidos

Nivel 5: Medicamentos especializados

Nivel 6: Seleccionar medicamentos de cuidado

**Se pueden encontrar las siguientes abreviaturas de gestión de uso  
en el cuerpo de este documento**

**ABREVIATURAS DE LAS NOTAS DE COBERTURA**

ABREVIATURA	DESCRIPCIÓN	EXPLICACIÓN
<b>Restricciones de gestión de uso</b>		
AP	Restricción de la autorización previa	Usted (o su médico) debe obtener una autorización previa de VNSNY CHOICE EasyCare antes de surtir la receta para este medicamento. Sin la aprobación previa, es posible que VNSNY CHOICE EasyCare no cubra el medicamento.
AP BvD	Restricción de la autorización previa para determinación de la Parte B en comparación con la Parte D	Este medicamento puede ser elegible para ser pagado por la Parte B o la Parte D de Medicare. Usted (o su médico) debe obtener una autorización previa de VNSNY CHOICE EasyCare para determinar que este medicamento está cubierto por la Parte D de Medicare antes de surtir la receta para este medicamento. Sin la aprobación previa, es posible que VNSNY CHOICE EasyCare no cubra el medicamento.
AP-MAR	Restricción de la autorización previa para medicamentos de alto riesgo	Este medicamento ha sido considerado por los CMS (Centros de Servicios de Medicare y Medicaid) como potencialmente dañino y, por lo tanto, un medicamento de alto riesgo para los beneficiarios de Medicare de 65 años o más. Los miembros de 65 años o más deben obtener una autorización previa de VNSNY CHOICE EasyCare antes de surtir la receta para este medicamento. Sin la aprobación previa, es posible que VNSNY CHOICE EasyCare no cubra el medicamento.

<b>ABREVIATURA</b>	<b>DESCRIPCIÓN</b>	<b>EXPLICACIÓN</b>
AP SNI	Restricción de la autorización previa para solo para nuevos inicios	Si usted es un miembro nuevo, usted (o su médico) debe obtener una autorización previa de VNSNY CHOICE EasyCare antes de surtir la receta para este medicamento. Sin la aprobación previa, es posible que VNSNY CHOICE EasyCare no cubra el medicamento.
LC	Restricción del límite de cantidad	VNSNY CHOICE EasyCare establece un límite en la cantidad de este medicamento que se cubre por receta, o dentro de un plazo especificado.
TE	Restricción del tratamiento escalonado	Antes de que VNSNY CHOICE EasyCare brinde cobertura para este medicamento, usted deberá probar primero otros medicamentos para tratar su afección médica. Este medicamento solo puede ser cubierto si el otro medicamento no funciona para usted.

**Se pueden encontrar las siguientes abreviaturas de cobertura adicional en el cuerpo de este documento**

### **OTROS REQUISITOS ESPECIALES PARA LA COBERTURA**

<b>ABREVIATURA</b>	<b>DESCRIPCIÓN</b>	<b>EXPLICACIÓN</b>
AL	Medicamento de acceso limitado	Esta receta puede estar disponible solo en determinadas farmacias. Para obtener más información, consulte el Directorio de proveedores y farmacias o llame al equipo de atención al cliente de CHOICE EasyCare al 1-866-783-1444, los 7 días de la semana, de 8:00 a. m. a 8:00 p. m. Los usuarios de TTY/TDD deben llamar al 711.

ABREVIATURA	DESCRIPCIÓN	EXPLICACIÓN
NC	Medicamento que no se envía por correo	Usted puede recibir más de un suministro de 1 mes de la mayoría de los medicamentos en el listado por correo postal por un costo compartido reducido. Los medicamentos que <u>no</u> están disponibles a través de su beneficio de pedido por correo postal se marcan como “NC” en la columna Requerimientos/Limitaciones en su formulario.
SNE	Suministro de días no extendido	Aquellos medicamentos que están limitados a un suministro de 30 días se anotan como ‘SNE’ (suministro de días no extendido) en la columna de Requisitos/Límites de su formulario.

## ABREVIATURAS DE CONCENTRACIÓN Y FORMA DE DOSIFICACIÓN

ABREVIATURA	DESCRIPCIÓN
parche adh.	parche adhesivo
aer ac res	aerosol, activado por la respiración
aer pol	aerosol, en polvo
aer pol ar	aerosol en polvo, activado por la respiración
resum aer	resuministro de aerosol
aer c/adap	aerosol con adaptador
ampol	ampolla
in bol gra	inyección en bolsa a granel
cáp mf lr	cápsula, multifásica de liberación retardada
cáp pq ds	cápsula, paquete de dosis
cáp 12 h lp	cápsula, 12 horas de liberación prolongada
cáp 24 h lp	cápsula, 24 horas de liberación prolongada
cáp lp deg	cápsula, de liberación prolongada degradable
cáp grán lp	cápsula, gránulos de liberación prolongada
cáp mfásica	cápsula, multifásica
cáp 24 h as	cápsula, 24 horas de acción sostenida
cáp 12 h ls	cápsula, 12 horas de liberación sostenida
cáp 24 h ls	cápsula, 24 horas de liberación sostenida
cáp gic 24 h	cápsula, gránulos de 24 horas de inicio controlado
cáp grá 24 h	cápsula, gránulos de liberación sostenida de 24 horas
cáp espolvorear	cápsula, para espolvorear
cáp grá ls	cápsula, gránulos de liberación sostenida
cáp c/dis	cápsula con dispositivo
cáp lr	cápsula, liberación retardada
cáp lp	cápsula, liberación prolongada
cáp as	cápsula, acción sostenida
cmb cáp alm	combinación: cápsula, almohadilla
cmb ung esp	combinación: ungüento, espuma
cmb ung loc	combinación: ungüento, loción
cmb com alm	combinación: comprimido, almohadilla
paq combi.	paquete de combinación
cpmp 12hr	cápsula, 12 horas multifásica

<b>ABREVIATURA</b>	<b>DESCRIPCIÓN</b>
cpmp 24hr	cápsula, 24 horas multifásica
cpmp 30-70	cápsula, multifásica, 30 %-70 %
cpmp 50-50	cápsula, multifásica, 50%-50%
crema(g), crema(gm)	crema (gramos)
crema (ml)	crema (mililitros)
crema/apl	crema con aplicador
cream, lp (g)	crema, liberación prolongada (gramos)
paq de crema	crema, paquete
bol li fdeh	bolsa libre de ftalato de di(2-etilhexilo)
agu des	aguja desechable
disco c/disp	disco con dispositivo de inhalación
jer des	jeringa desechable
gotas susp	gotas, suspensión
gotas hpvis	gotas, hiperviscosas
adhes emul	adhesivo de emulsión
paq emul	paquete de emulsión
emulsn (g)	emulsión (gramos)
esp/apl.	espuma con aplicador
piggy cong	piggyback congelada
g	gramo
gel/apl pr	gel con aplicador prellenado
gel (gm)	gel (gramos)
gel (ml)	gel (mililitros)
gel bom dos	gel en bomba dosificadora
gel c/apl	gel con aplicador
gel c/bomba	gel con bomba
paq grán	paquete de gránulos
ad aer hfa	adaptador de aerosol hfa (hidrofluoroalcanos)
bot inf	botella de infusión
lápiz insuln	lápiz de insulina
soln ip	solución intraperitoneal
soln irrig	solución de irrigación
soln. iv	solución intravenosa
jal	jalea
jalea/apl	jalea con aplicador

<b>ABREVIATURA</b>	<b>DESCRIPCIÓN</b>
jal/apl pl	jalea con aplicador prellenado
kit lim y crem	kit: limpiador y crema
kt crem le	kit: crema, loción emoliente
kt loc ce	kit: loción, crema emoliente
kt ung le	kit: ungüento, loción emoliente
loción, lp	loción, liberación prolongada
com chu c/apl buc inte	comprimidos para chupar con aplicador bucal integrado
par tér m.	parche térmico medicinal
com buc ma	comprimido bucal mucoadhesivo
mcg	microgramo
alm med.	almohadilla medicada
hisopo med.	hisopo medicado
cinta adhesiva med.	cinta adhesiva medicada
mg	miligramo
ml	mililitro
muc 12 h lp	sistema mucoadhesivo, 12 horas de liberación prolongada
agu pa iny	aguja para inyección
susp pl uñas	suspensión de la película de uñas
ung. (g), ung. (gm)	ungüento (gramos)
conc oral	concentrado oral
susp oral	suspensión oral
pasta (g)	pasta (gramos)
parche td 24	parche, transdérmico de 24 horas
parche td 72	parche, transdérmico de 72 horas
parche td quin	parche, transdérmico quincenal
parche trans sem	parche, transdérmico semanal
jeringa acp	jeringa de analgésicos controlados por el paciente
vial acp	vial de analgésicos controlados por el paciente
gránulo (c/u)	gránulo (cada uno)
kit iy láp	kit de inyectores para lápices
inyectr láp	inyector para lápices
btl pggybk	botella piggyback
bolsa plást.	bolsa de plástico

<b>ABREVIATURA</b>	<b>DESCRIPCIÓN</b>
paquete polv	paquete de polvo
sol bom md	solución con bomba multidosis
sol c/ apl	solución con aplicador
sol/apl pl	solución con aplicador prellenado
sol-gel	solución, formadora de gel
soln recon	solución reconstituida
soln (gramos)	solución (gramos)
atomizador, susp	atomizador, suspensión
atomizador/bomba	atomizador con bomba
palo (c/u)	palo (cada uno)
sup. rect	supositorio, rectal
sup. vag	supositorio, vaginal
supos.	supositorio
sus 24 h lp	suspensión, 24 horas de liberación prolongada
sus lp rec	suspensión, liberación prolongada reconstituida
sus mc rec	suspensión, microcápsula reconstituida
susp pqt lr	suspensión, paquete de liberación retardada
susp recon	suspensión, reconstituida
kit jeringa	kit de jeringa
comp masticable	comprimido, masticable
comp 12 h lp	comprimido, 12 horas de liberación prolongada
comp 24 h lp	comprimido, 24 horas de liberación prolongada
comp prt lp	comprimido, partículas de liberación prolongada
comp sec lp	comprimido, secuelas de liberación prolongada
comp disper	comprimido, dispersable
comp pq ds	comprimido, paquete de dosis
comp 24 lp	comprimido, 24 horas de liberación prolongada
comp mfásico	comprimido, multifásico
comp part	comprimido, partículas
comp des ráp lr	comprimido, desintegración rápida de liberación retardada
comp rápid	comprimido, desintegración rápida
comp subl	comprimido, sublingual
comp 12 h ls	comprimido, 12 horas de liberación sostenida
comp 24 h ls	comprimido, 24 horas de liberación sostenida



ABREVIATURA	DESCRIPCIÓN
tabergr24hr	comprimido, 24 horas de liberación prolongada gradual
comp lr	comprimido, liberación retardada
comprimido, lp	comprimido, liberación prolongada
comp efe	comprimido, efervescente
comp as	comprimido, acción sostenida
comprimido sol	comprimido, soluble
cp pq ds lp	comprimido, paquete de dosis de liberación prolongada
cp pq ds mf	comprimido, paquete de dosis multifásica
cp pq ds dr	comprimido, paquete de dosis de desintegración rápida
cp pq ds 3 me	comprimido, paquete de dosis para 3 meses
cp 12 h mf	comprimido, 12 horas multifásico
cp 24 h mf	comprimido, 24 horas multifásico
u	unidad
anillo vag	anillo vaginal

# VNSNY CHOICE EasyCare (HMO D-SNP)

## 2022 年處方藥一覽表 (承保藥物清單)

請閱讀：本文件包含  
有關本計劃承保藥物的資訊

受核准處方藥一覽表文件提交 ID 號碼：22093，版本：05

本處方藥一覽表更新於 08/19/2021。如需更多近期資訊或有其他疑問，請撥打 1-866-783-1444 聯絡我們，或者對於 TTY 使用者，則請撥 711，工作時間為每週 7 天的上午 8 點 – 晚上 8 點，或可瀏覽 [vnsnychoice.org](http://vnsnychoice.org)。

本藥物清單（處方藥一覽表）中，凡提述「我們」或「我們的」均指 VNSNY CHOICE EasyCare。本冊中所提述的「計劃」與「本計劃」均指 VNSNY CHOICE EasyCare。

本文件載有我們計劃截至 08/19/2021 的藥物清單（處方藥一覽表）。如需最新處方藥一覽表，請聯絡我們。我們的聯絡資訊連同最後更新處方藥一覽表的日期載於封面和封底。

一般而言，您必須使用網絡內藥房才能享受處方藥福利。自 2022 年 1 月 1 日起和在該年內，福利、處方藥一覽表、藥房網絡和/或共付額/共同保險可能會不時有所調整。

## 什麼是 VNSNY CHOICE EasyCare 處方藥一覽表？

處方藥一覽表是 VNSNY CHOICE EasyCare 透過諮詢醫療提供者團隊所選出的受保藥物清單，代表其被認定是高品質治療計劃中不可或缺的處方藥治療。只要具有醫療必要性，且於 VNSNY CHOICE EasyCare 網絡內藥房配藥，並遵守其他計劃規則，VNSNY CHOICE EasyCare 通常會承保列於我們處方藥一覽表中的藥物。要瞭解有關如何按您的處方配藥的更多資訊，請查閱您的「承保範圍說明書」。

## 處方藥一覽表（藥物清單）是否會變更？

藥物承保中的大多數變更會在 1 月 1 日做出，但 VNSNY CHOICE EasyCare 可能會在年內新增或刪除藥物清單上的藥物，將其移至其他費用分攤等級，或增加新的限制。我們必須遵循 Medicare 的規則才能進行變更。

**今年可能會影響到您的變更：**在下列情況中，您將受到年內承保範圍變更的影響：

- **新普通藥。**如果出現新的學名藥且其分攤費用額與品牌藥相同或更低及其限制與品牌藥相同會更少，我們可能會立即將該品牌藥從我們的藥物清單中刪除，代之以新的學名藥。此外，我們增加新的副廠藥時可能會決定保留我們藥物清單上的原廠藥，但會立即將該原廠藥移到不同的分攤費用層次或增加新的限制規定。如果您目前正在服用該原廠藥，我們可能不會在做出該變更前通知您，但我們之後會提供已做特定變更的相關資訊給您。
  - 如果我們進行這類變更，您或您的開立處方者可要求我們進行例外處理，繼續為您承保該原廠藥。我們提供給您的通知也會列出相關資訊，告訴您如何要求例外處理，您也可以在下文標題為「我該如何向 VNSNY CHOICE EasyCare 處方藥一覽表要求例外處理？」的一節中找到相關資訊。
- **藥物從市場中被撤下。**若美國食品及藥物管理局認為我們處方藥一覽表上的某種藥物不安全，或藥物製造商從市場中撤除該藥物，我們會立即從我們的處方藥一覽表上刪除該藥物，並向使用該藥物的會員發出通知。
- **其他變更。**我們可能會做出其他影響正在服用藥物的會員的變更。例如，我們可能會增加新的品牌藥取代目前在處方藥一覽表中的品牌藥。或者我們可能會根據新的臨床指導做出變更。若我們自處方藥一覽表中移除了藥物，對某個藥物新增了預先授權、數量限制，和/或階段治療限制，或提高

某個藥物的費用分擔等級，則我們必須在該變生效前至少 30 天，或在要求重新配藥時通知受影響的會員（該名會員將收到 30 天份的藥物）。

- 如果我們進行這類其他變更，您或您的開立處方者可要求我們進行例外處理，繼續為您承保該普通藥。我們提供給您的通知也會列出相關資訊，告訴您如何要求例外處理，您也可以在下文標題為「我該如何向 VNSNY CHOICE EasyCare 處方藥一覽表要求例外處理？」的一節中找到相關資訊。

**如果您目前正在服用該藥物，變更將不會影響您。**一般而言，若您在服用年初受到承保的 2021 年處方藥一覽表上的藥物，我們不會在 2021 年承保年度中終止或減少此藥物的承保，正如上文所述。這意味著，在承保年度剩餘時間內，仍將以相同的費用分攤向服用此藥物的會員提供此藥物。對於不會影響您的變更，今年內您不會收到有關直接通知。然而，自明年的 1 月 1 日起，這些變更將會影響到您，因此務必檢查新福利年的藥物清單，瞭解藥物是否有任何變更。

隨函附上的處方藥一覽表截至 08/19/2021> 若要取得有關 VNSNY CHOICE EasyCare 承保藥物的最新資訊，請聯絡我們。我們的聯絡資訊在封面和封底頁均有提供。如果我們更新我們的印刷版處方藥一覽表（附帶非維護處方藥一覽表變更），我們將向您寄發包含此資訊的通知。

## 如何使用處方藥一覽表？

有兩種方法在處方藥一覽表中查找您所需的藥物：

### 病症

處方藥一覽表從第 3 頁開始。本處方藥一覽表中的藥物按照所治療的病症類型分類。例如，用來治療心臟病的藥物列在「心血管藥物」類別。若您瞭解藥物的用途，在從第 3 頁開始的清單中尋找類別名稱。然後，在此類別名稱下查找所需的藥物。

### 按字母順序排列的清單

若您不確定應尋找哪一個類別，則應在開始於第 I-1 頁的索引中尋找所需的藥物。該索引提供一份按字母順序排列的清單，其中有本文件包含的所有藥物。品牌藥和普通藥均列在該索引中。請在該索引中查找所需的藥物。在藥物旁邊，您

將看到載有承保資訊的頁碼。轉到該索引中所列的頁碼，在清單的第一欄即可找到所需的藥物名稱。

## 甚麼是副廠藥？

VNSNY CHOICE EasyCare 承保品牌藥和普通藥。普通藥是一種由美國食品藥品監督管理局 (FDA) 核准，具有與品牌藥相同活性成分的藥物。通常，普通藥的費用較品牌藥低。

## 對於我享受的承保範圍是否有任何限制？

某些承保藥物可能有其他要求或承保範圍限制。這些要求和限制可能包括：

- **預先授權：**就一些藥物而言，VNSNY CHOICE EasyCare 可能要求您或您的醫師獲得事先核准。這意味著您在配藥前需獲得 VNSNY CHOICE EasyCare 的核准。如果您未得到核准，則 VNSNY CHOICE EasyCare 可能不會為該藥物承保。
- **供藥量限制：**就一些藥物而言，VNSNY CHOICE EasyCare 會限制它將承保的藥物劑量。例如 VNSNY CHOICE EasyCare 對於 Celecoxib 會根據藥力提供各種劑量。這可以另外附加在標準的一個月或三個月的藥量上。
- **漸進式治療：**在某些情況下，VNSNY CHOICE EasyCare 在承保另一種適用於該病症的藥物前，需要您先嘗試某些藥物來治療您的疾病。例如，若藥物 A 及藥物 B 均適合治療您的病症，VNSNY CHOICE EasyCare 可能不會承保藥物 B，除非您已先嘗試使用藥物 A。如果藥物 A 對您而言沒有療效，則 VNSNY CHOICE EasyCare 會承保藥物 B。

您可以透過第 3 頁開始的處方藥一覽表查詢您的藥物是否有額外的要求或限制。您也可以透過瀏覽我們的網站，取得更多關於特定承保藥物適用之限制的資訊。我們已在網站發佈文件說明我們的事前授權和循序用藥限制規定。您亦可以要求我們給您寄送一份副本。我們的聯絡資訊連同最後更新處方藥一覽表的日期載於封面和封底。

您可以要求 VNSNY CHOICE EasyCare 對此類限制或使用上限作出例外處理，或索取可能治療您的病症的其他相似藥物清單。請參閱第 VI 頁的「我該如何向 VNSNY CHOICE EasyCare 處方藥一覽表要求例外處理？」一節，瞭解如何要求例外處理的相關資訊。

## 什麼是非處方藥 (OTC)?

OTC 藥物是 Medicare 處方藥計劃一般不承保的非處方藥。VNSNY CHOICE EasyCare 承保特定的 OTC 藥。

### 受承保非處方 (OTC) 藥物

藥物		藥物劑型
普通藥	(參考品牌藥)	
<i>Cetirizine Hydrochloride</i>	(Zyrtec)	可咀嚼片劑，液劑，片劑
<i>Cetirizine Hydrochloride/ Pseudoephedrine Hydrochloride</i>	(Zyrtec-D)	12 小時藥錠
<i>Fexofenadine Hydrochloride</i>	(Allegra)	12 小時片劑，24 小時片劑快速生效，懸劑
<i>Fexofenadine/Pseudoephedrine Hydrochloride</i>	(Allegra-D)	12 小時片劑，24 小時片劑
<i>Ketotifen Fumarate</i>	(Zaditor)	眼用滴劑
<i>Levocetirizine Dihydrochloride</i>	(Xyzal)	液劑，片劑
<i>Loratadine</i>	(Claritin)	液劑，片劑，快速起效片劑，可咀嚼片劑
<i>Loratadine/ Pseudoephedrine Hydrochloride</i>	(Claritin-D)	12 小時藥錠 24 小時藥錠
<i>Olopatadine Hydrochloride</i>	(Pataday)	眼用滴劑

VNSNY CHOICE EasyCare 將免費為您提供此等 OTC 藥。VNSNY CHOICE EasyCare 不會將此類 OTC 藥的支付費用計入您的 D 部份總藥費中（也就是說，OTC 藥的費用不會計入承保缺口金額）。

## 若我的藥物不在處方藥一覽表上，該怎麼辦？

若您的藥物不在此處方藥一覽表（承保藥物清單）上，那麼您首先應該聯絡 CHOICE EasyCare 護理團隊，詢問您的藥物是否在承保範圍內。

若您得知 VNSNY CHOICE EasyCare 並未承保您的藥物，則您有兩種選擇：

- 您可向 CHOICE EasyCare 護理團隊要求一份由 VNSNY CHOICE EasyCare 承保的相似藥物清單。當您收到該清單時，請拿給您的醫生看，並要求他（她）開立由 VNSNY CHOICE EasyCare 承保的相似藥物。
- 您可以要求 VNSNY CHOICE EasyCare 作出例外處理，並承保您的藥物。請查看以下關於如何申請例外處理的資訊。

## 我該如何向 VNSNY CHOICE EasyCare 處方藥一覽表要求例外處理？

您可以要求 VNSNY CHOICE EasyCare 針對我們的承保規定作出例外處理。

您可以向我們提出數種例外處理申請。

- 您可以要求我們承保一種藥物，即使它不在我們的處方藥一覽表上。如獲批准，此藥物將按預定分攤費用等級獲得承保，且您不得要求我們以更低的分攤費用等級提供此藥物。
- 您可以要求我們以較低費用分攤等級承保處方藥一覽表中的藥物，除非該藥物在特殊等級中。如獲批准，這會減少您必須為藥物支付的金額。
- 您可以要求我們撤銷對您的藥物的承保限制。例如，就一些藥物而言，VNSNY CHOICE EasyCare 會限制我們將承保的藥物劑量。若您的藥物有數量限制，您可以要求我們撤銷限制並承保更多數量。

通常，只有在替代藥物包含在計劃的處方藥一覽表中時，或是較低的分攤費用藥物或額外的使用限制對於治療您的病症無法達到相同的效果時，和/或可能造成不良醫療作用時，VNSNY CHOICE EasyCare 才會核准您的例外處理要求。

您應當與我們聯絡，要求我們做出針對處方藥一覽表、藥物等級或使用限制例外處理的初始承保決定。在提出針對處方藥一覽表藥物等級或使用限制例外處理申請時，您應提交一份處方醫生或醫生的聲明以支持您的申請。通常，我們在收到處方醫生的支持聲明後，必須在 72 小時內做出決定。若您或您的醫生認為等候 72 小時再做出決定會對您的健康造成嚴重傷害，您可以申請加急

（快速）例外處理。如果您的加急申請獲得批准，我們在收到您的醫生或其他處方醫生的支持聲明後，必須在 24 小時內為您做出決定。

## 在向醫生提出變更藥物請求或提交例外處理申請之前，我應該做什麼？

作為我們計劃的新老會員，您可能正在使用我們處方藥一覽表上沒有的藥物。或者，您正在使用一種在我們處方藥一覽表上的藥物，但您獲取該藥物的能力受到限制。例如，您可能需要向我們取得事前授權才能購買處方配藥。您應當先和您的醫

生談談，以決定您是否應該換用我們承保的適當藥物，或提出處方藥一覽表例外處理申請以使我们承保您使用的藥物。在您與醫生討論以確定何種措施對您合適的時候，我們可能會在您成為我們計劃會員的頭 90 天內針對某些情況為您的藥物提供承保。

對於每一種不在我們處方藥一覽表上的藥物，或如果您獲得藥物的能力受到限制，我們將承保 31 天的臨時供藥。如果您處方的天數較少，我們將允許配藥，以提供最高達 31 天的供藥量。在提供頭 31 天藥量之後，我們將不會為您支付這些藥物的費用，即使您成為計劃會員還不足 90 天。

若您是長期護理機構的住戶，且需要不在我們處方藥一覽表上的藥物，或您獲得藥物的能力受到限制，但您成為我們計劃會員已超過頭 90 天，則在您尋求處方藥一覽表例外處理時，我們將會對該藥物承保 31 天份量的緊急藥量。

過渡配藥提供給需要一次性緊急配藥或因護理水準改變而被開具非處方藥一覽表藥物的現有會員。

## 要瞭解更多資訊

如需您的 VNSNY CHOICE EasyCare 的處方配藥承保的更詳細資訊，請查閱您的承保證書和其他計劃資料。

如果您對 VNSNY CHOICE EasyCare 有疑問，請聯絡我們。我們的聯絡資訊連同最後更新處方藥一覽表的日期載於封面和封底。

若您對 Medicare 處方藥承保範圍有一般性疑問，請撥打 1-800-MEDICARE (1-800-633-4227) 致電 Medicare，工作時間每週 7 天，每天 24 小時。

TTY 使用者應致電 1-877-486-2048。或瀏覽 [www.medicare.gov](http://www.medicare.gov)。

此資訊包括其他語言您可以免費索取。請致電 1-866-783-1444 聯絡 CHOICE EasyCare 護理團隊瞭解更多資訊。（TTY 使用者應撥打免付費電話 711）每週 7 天的上午 8 點至晚上 8 點。CHOICE EasyCare 護理團隊還為不說英語的人士提供免費的翻譯服務。



## VNSNY CHOICE EasyCare 的處方藥一覽表

第 3 頁開始列載的處方藥一覽表提供了有關 VNSNY CHOICE EasyCare 承保的藥物的承保範圍資訊。如果您未能在清單內找到您需要的藥物，請閱覽始於第 I-1 頁的索引。

表格的第一欄列出了藥物名稱。品牌藥物為大寫（如 CELEBREX），普通藥物為小寫斜體（如 *naproxen*）。

要求/限制欄中的資訊表示 VNSNY CHOICE EasyCare 對於承保您的藥物是否有任何特殊的要求。

請參閱下文，瞭解處方藥一覽表中所列的藥物等級的說明。請參閱承保範圍說明書的第 6 章，瞭解實際的共付額。

第 1 級：優惠副廠藥

第 2 級：副廠藥

第 3 級：首選原廠藥

第 4 級：非首選原廠藥

第 5 級：特殊藥物

第 6 級：選擇性護理藥物

以下利用管理縮略詞可以在  
本文件的文字中找到  
承保通知縮略詞

縮寫	說明	解釋
<b>利用管理限制</b>		
<b>PA</b>	事先授權限制	在配取此種處方藥之前，您（或您的醫生）必須獲得 VNSNY CHOICE EasyCare 的事先授權。如未得到事先核准，則 VNSNY CHOICE EasyCare 可能不會為該藥物提供承保。
<b>PA BvD</b>	B 部分與 D 部分裁定的事先授權限制	該藥物可能符合 Medicare B 部份或 D 部份承保的資格。在配取此種處方藥之前，您（或您的醫生）必須獲得 VNSNY CHOICE EasyCare 的事先授權，以確定該藥物是由 Medicare D 部份所承保。如未得到事先核准，則 VNSNY CHOICE EasyCare 可能不會為該藥物提供承保。
<b>PA-HRM</b>	B 部分與 D 部分裁定高風險藥物	該藥物被 CMS 視為有潛在危害性，因此對於 65 歲或以上的 Medicare 受益人來說，是一種高風險藥物。在 65 歲或以上的會員配取此種處方藥之前，必須獲得 VNSNY CHOICE EasyCare 的事先授權。如未得到事先核准，則 VNSNY CHOICE EasyCare 可能不會為該藥物提供承保。

縮寫	說明	解釋
PA NSO	B 部分與 D 部分裁定 僅限新開始	如果您是新會員，在您配取此種處方藥之前，您（或您的醫生）必須獲得 VNSNY CHOICE EasyCare 的事先授權。如未得到事先核准，則 VNSNY CHOICE EasyCare 可能不會為該藥物提供承保。
QL	數量上限限制	VNSNY CHOICE EasyCare 按照處方或在特定的時間段內限制此種受承保藥物的劑量。
ST	階段治療限制	VNSNY CHOICE EasyCare 為該藥物承保之前，您必須先嘗試用處方藥一覽表上的另一種藥物以治療您的疾病。該藥物只有在其他藥物對您無效的情況下才能獲得承保。

可找到以下其他承保通知縮略詞  
本文件的文字中找到  
承保範圍的其他特殊要求

縮寫	說明	解釋
LA	有限藥物可及性	此種處方可能僅可從特定藥房獲取。如需更多資訊，請諮詢您的提供者或藥房目錄，或撥打 1-866-783-1444 致電 CHOICE EasyCare 護理團隊，工作時間為每週 7 天的上午 8 點至晚上 8 點。TTY/TDD 人士可致電
NM	非郵購藥物	711。您可以透過郵購以更低的費用分攤獲得超過 1 個月的處方藥一覽表上大部

縮寫	說明	解釋
		分藥物的供量。無法透過郵購獲得的藥物在處方藥一覽表的「要求/限制」欄中標明「NM」。
NDS	不延長天數的供藥	這些在處方藥一覽表的「要求/限制」欄中，最多只能提供 30 天供藥的藥物會帶有「NDS」（不延長天數的供藥）的標註。

藥力和劑型縮略詞

縮寫	說明
adh. patch	貼片
aer br act	氣霧劑，呼吸啟動
aer pow	氣霧劑，粉末
aer pow ba	粉霧劑，呼吸啟動
aer refill	氣霧劑補充
aer w/adap	氣霧劑（帶配接器）
ampul	安瓿
blkbaginj	散包裝注射
cap dr mp	膠囊劑，延緩釋放多相
cap ds pk	膠囊劑，劑量包
cap er 12h	膠囊劑，12 小時持續釋放
cap er 24h	膠囊劑，24 小時持續釋放
cap er deg	膠囊劑，持續釋放可降解
cap er pel	膠囊劑，持續釋放丸劑
cap mphase	膠囊劑，多相
cap.sa 24h	膠囊劑，24 小時持續作用
cap.sr 12h	膠囊劑，12 小時緩慢釋放
cap.sr 24h	膠囊劑，24 小時緩慢釋放
cap24h pct	膠囊劑，24 小時控制發作丸劑
cap24h pel	膠囊劑，24 小時緩慢釋放丸劑
cap sprink	膠囊劑，顆粒
cap sr pel	膠囊劑，緩慢釋放丸劑
cap w/dev	膠囊劑（帶裝置）
capsule dr	膠囊劑，延緩釋放
capsule er	膠囊劑，持續釋放
capsule sa	膠囊劑，持續作用
cmb cappad	組合：膠囊劑，墊片

縮寫	說明
cmb ont fm	組合：藥膏，泡沫
cmb ont lt	組合：藥膏，洗液
cmb tabpad	組合：片劑，墊片
combo. pkg	組合套餐
cpmp 12hr	膠囊劑，12 小時多相
cpmp 24hr	膠囊劑，24 小時多相
cpmp 30-70	膠囊劑，多相，30%-70%
cpmp 50-50	膠囊劑，多相，50%-50%
cream(g), cream(gm)	乳膏劑（克）
cream(ml)	乳膏劑（毫升）
cream/appl	乳膏劑（帶敷帖器）
cream, er (g)	乳膏劑，持續釋放（克）
cream pack	乳膏劑，包裝
dehp fr bg	di(2-ethylhexyl)phthalate 免費贈品
dis needle	一次性使用針頭
disk w/dev	碟片（帶吸入裝置）
disp syrin	一次性使用注射器
drops susp	滴劑，懸液
drps hpvis	滴劑，高黏性
emul adhes	乳狀黏合劑
emul packt	乳劑小包
emulsn(g)	乳劑（克）
foam/appl.	泡沫（帶敷帖器）
froz.piggy	冷凍劑，背負式
g	克
gel/pf app	凝膠（帶預裝敷帖器）
gel (gm)	凝膠（克）
gel (ml)	凝膠（毫升）
gel md pmp	凝膠（在定量劑量泵中）

縮寫	說明
gel w/appl	凝膠（帶敷帖器）
gel w/pump	凝膠（帶泵）
gran pack	顆粒包
hfa aer ad	hfa 氣霧劑配接器
infus. btl	輸液瓶
insuln pen	胰島素筆
ip soln	腹腔液劑
irrig soln	灌洗液劑
iv soln.	靜脈注射液劑
jel	膠狀劑
jelly/app	膠狀劑（帶敷帖器）
jel/pf app	膠狀劑（帶預裝敷帖器）
kit cl&crm	套件：清潔劑和乳膏劑
kt crm le	套件：乳膏劑，鎮痛洗劑
kt lotn ce	套件：洗劑，鎮痛乳膏劑
kt oint le	套件：藥膏，鎮痛洗劑
lotion, er	洗劑，持續釋放
lozenge hd	錠劑柄口
m.ht patch	含藥加熱貼片
ma buc tab	黏膜黏著頰含片
mcg	微克
med. pad	含藥墊片
med. swab	含藥棉棒
med. tape	含藥膠帶
mg	毫克
ml	毫升
muc er 12h	黏膜黏著系統，12 小時持續釋放
ndl fr inj	注射用針頭
nl fm susp	指甲薄膜懸液劑

縮寫	說明
oint. (g), oint.(gm)	藥膏 (克)
oral conc	內服濃縮劑
oral susp	內服懸液劑
paste (g)	糊劑 (克)
patch td24	貼片, 24 小時經皮
patch td72	貼片, 72 小時經皮
patch tds	貼片, 兩週一次經皮
patch tdwk	貼片, 每週一次經皮
pca syring	患者控制鎮痛注射器
pca vial	患者控制鎮痛小瓶
pellet(ea)	丸劑 (每次)
pen ij kit	注射筆套件
pen injectr	注射筆
pggybk btl	背負式瓶
plast. bag	塑膠袋
powd pack	粉劑包
sol md pmp	液劑 (帶多劑量泵)
sol w/appl	液劑 (帶敷帖器)
sol/pf app	液劑 (帶預裝敷帖器)
sol-gel	液劑, 形成凝膠
soln recon	液劑, 還原型
soln(gram)	液劑 (克)
spray susp	噴霧, 懸液劑
spray/pump	噴霧 (帶泵)
stick(ea)	棒狀劑 (每次)
supp.rect	栓劑, 直腸
supp.vag	栓劑, 陰道
suppos.	栓劑
sus er 24h	懸液劑, 24 小時持續釋放



縮寫	說明
sus er rec	懸液劑，持續釋放還原
sus mc rec	懸液劑，還原型微膠囊
suspdr pkt	懸液劑，延緩釋放小包
susp recon	懸液劑，還原型
syringekit	注射器套件
tab chew	片劑，可咀嚼
tab er 12h	片劑，12 小時持續釋放
tab er 24h	片劑，24 小時持續釋放
tab er prt	片劑，持續釋放顆粒
tab er seq	片劑，持續釋放延續
tab disper	片劑，可溶
tab ds pk	片劑，劑量包
tab er 24	片劑，24 小時持續釋放
tab mphase	片劑，多相
tab part	片劑，顆粒
tab rap dr	片劑，速崩型延緩釋放
tab rapdis	片劑，速崩型
tab subl	片劑，舌下
tab.sr 12h	片劑，12 小時緩慢釋放
tab.sr 24h	片劑，24 小時緩慢釋放
tabergr24hr	片劑，24 小時漸進持續釋放
tablet dr	片劑，延緩釋放
tablet, er	片劑，持續釋放
tablet eff	片劑，發泡
tablet sa	片劑，持續作用
tablet sol	片劑，可溶解
tb er dspk	片劑，持續釋放劑量包
tb mp dspk	片劑，多相劑量包
tb rd dspk	片劑，速崩型劑量包

縮寫	說明
tbdspk 3mo	片劑，3 個月劑量包
tbmp 12hr	片劑，12 小時多相
tbmp 24hr	片劑，24 小時多相
u	單位
vag ring	陰道環

## Table of Contents

Analgesics.....	3
Anesthetics.....	7
Anti-Addiction/Substance Abuse Treatment Agents.....	7
Antianxiety Agents.....	9
Antibacterials.....	10
Anticancer Agents.....	17
Anticonvulsants.....	32
Antidementia Agents.....	37
Antidepressants.....	38
Antidiabetic Agents.....	40
Antifungals.....	45
Antigout Agents.....	46
Antihistamines.....	47
Anti-Infectives (Skin And Mucous Membrane).....	47
Antimigraine Agents.....	47
Antimycobacterials.....	48
Antinausea Agents.....	49
Antiparasite Agents.....	51
Antiparkinsonian Agents.....	52
Antipsychotic Agents.....	53
Antivirals (Systemic).....	58
Blood Products/Modifiers/Volume Expanders.....	65
Caloric Agents.....	68
Cardiovascular Agents.....	71
Central Nervous System Agents.....	81
Contraceptives.....	84
Dental And Oral Agents.....	92
Dermatological Agents.....	92
Devices.....	96
Enzyme Replacement/Modifiers.....	97
Eye, Ear, Nose, Throat Agents.....	99
Gastrointestinal Agents.....	103
Genitourinary Agents.....	107
Heavy Metal Antagonists.....	107
Hormonal Agents, Stimulant/Replacement/Modifying.....	108
Immunological Agents.....	115

Inflammatory Bowel Disease Agents.....	124
Metabolic Bone Disease Agents.....	125
Miscellaneous Therapeutic Agents.....	126
Ophthalmic Agents.....	128
Replacement Preparations.....	129
Respiratory Tract Agents.....	131
Skeletal Muscle Relaxants.....	136
Sleep Disorder Agents.....	136
Vasodilating Agents.....	137

Drug Name	Drug Tier	Requirements/Limits
<b>Analgesics</b>		
<b>Analgesics, Miscellaneous</b>		
<i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml	1	QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-15 mg, 300-30 mg	2	QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-60 mg	2	QL (180 per 30 days)
<i>buprenorphine hcl injection solution</i> (Buprenex) 0.3 mg/ml	2	
<i>buprenorphine hcl injection syringe</i> 0.3 mg/ml	2	
<i>butalbital-acetaminophen-caff oral</i> (Esgic) <i>tablet 50-325-40 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral</i> <i>capsule 50-325-40 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral</i> <i>tablet 50-325-40 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>codeine sulfate oral tablet 30 mg, 60 mg</i>	2	QL (180 per 30 days)
<i>endocet oral tablet 10-325 mg</i>	2	QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	2	QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	2	QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i> (Actiq)	5	PA; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i> (Actiq)	2	PA; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour</i> 100 mcg/12hr, 12 mcg/12hr, 25 mcg/12hr, 50 mcg/12hr, 75 mcg/12hr	2	QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	2	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>	2	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	2	QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	2	QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	
<i>hydromorphone oral liquid 1 mg/ml (Dilaudid)</i>	2	QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)</i>	2	QL (180 per 30 days)
<b>LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY</b>	5	PA; NDS; QL (30 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	QL (120 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i>	2	QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	PA; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	2	QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	QL (300 per 30 days)
<b>MORPHINE ORAL TABLET 15 MG</b>	4	QL (180 per 30 days)
<b>MORPHINE ORAL TABLET 30 MG</b>	4	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg (MS Contin)</i>	2	QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg (MS Contin)</i>	2	QL (90 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg (Roxicodone)</i>	2	QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg (Roxicodone)</i>	2	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin)	3	QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	2	QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	QL (60 per 30 days)
<i>tramadol oral tablet 50 mg</i> (Ultram)	1	QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> (Ultracet)	2	QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	3	QL (240 per 30 days)
<b>Nonsteroidal Anti-Inflammatory Agents</b>		
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	4	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i> (Cataflam)	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium oral tablet,delayed release (drlec) 25 mg</i>	2	QL (150 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diclofenac sodium oral tablet, delayed release (drlec) 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 75 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	2	QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i> (Solaraze)	2	PA; QL (100 per 28 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	
<i>flurbiprofen oral tablet 100 mg</i>	2	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	
<i>indomethacin oral capsule 25 mg</i>	1	PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule 50 mg</i>	1	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>ketorolac oral tablet 10 mg</i>	2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>mefenamic acid oral capsule 250 mg</i>	2	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i> (Mobic)	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i> (Relafen)	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	
<i>naproxen oral tablet, delayed release (drlec) 375 mg, 500 mg</i> (EC-Naprosyn)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)	5	PA; NDS; QL (224 per 28 days)
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		
<i>glydo mucous membrane jelly in applicator 2 %</i>	2	QL (30 per 30 days)
<i>lidocaine (pf) injection solution 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)	1	
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	
<i>lidocaine hcl 1% 20 mg/2 ml vial latex-free, sdv, plf 10 mg/ml (1 %)</i> (Xylocaine-MPF)	1	
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine)	1	
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA
<i>lidocaine topical adhesive patch,medicated 5 %</i> (Lidoderm)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
<b>Anti-Addiction/Substance Abuse</b>		
<b>Treatment Agents</b>		
<b>Anti-Addiction/Substance Abuse</b>		
<b>Treatment Agents</b>		
<i>acamprosate oral tablet,delayed release (drlec) 333 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>buprenorphine hcl sublingual tablet</i> 2 mg, 8 mg	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual</i> (Suboxone) <i>film</i> 12-3 mg, 8-2 mg	2	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual</i> (Suboxone) <i>film</i> 2-0.5 mg, 4-1 mg	2	QL (30 per 30 days)
<i>buprenorphine-naloxone sublingual</i> <i>tablet</i> 2-0.5 mg, 8-2 mg	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral</i> <i>tablet extended release 12 hr</i> 150 mg	2	
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	3	QL (336 per 365 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	3	QL (336 per 365 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS,DOSE PACK 0.5 MG (11)- 1 MG (42)	3	
<i>disulfiram oral tablet</i> 250 mg, 500 <i>mg</i>	2	
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
LUCEMYRA ORAL TABLET 0.18 MG	5	NDS; QL (228 per 14 days)
<i>naloxone injection solution</i> 0.4 <i>mg/ml</i>	2	
<i>naloxone injection syringe</i> 0.4 <i>mg/ml, 1 mg/ml</i>	2	
<i>naltrexone oral tablet</i> 50 mg	2	
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	3	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (1008 per 90 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	5	NDS; QL (0.5 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	5	NDS; QL (1.5 per 30 days)
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	QL (150 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	2	QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	2	QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam oral concentrate 5 mg/ml</i> (Diazepam Intensol)	2	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	QL (120 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	1	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	1	QL (2 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	2	
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NDS
<b>TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG</b>	5	NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	5	PA BvD; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	2	
<b>Antibacterials, Miscellaneous</b>		
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	2	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	5	PA BvD; NDS
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin)	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FIRVANQ ORAL RECON SOLN 25 MG/ML	4	
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	2	
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	2	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	2	
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	2	
<i>metronidazole oral tablet 250 mg</i>	1	
<i>metronidazole oral tablet 500 mg</i> (Flagyl)	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin)	2	QL (120 per 30 days)
<i>nitrofurantoin monohydlm-cryst oral capsule 100 mg</i> (Macrobid)	2	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	
SYNERCID INTRAVENOUS RECON SOLN 500 MG	5	NDS
<i>trimethoprim oral tablet 100 mg</i>	1	
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	2	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	2	QL (112 per 14 days)
XIFAXAN ORAL TABLET 200 MG	5	PA; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NDS; QL (90 per 30 days)
<b>Cephalosporins</b>		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	
<i>cefixime oral capsule 400 mg</i> (Suprax)	2	
<i>cefotaxime injection recon soln 1 gram</i>	2	
<i>cefoxitin 1 gm piggyback bag 1 gram/50 ml</i>	2	
<i>cefoxitin intravenous recon soln 1 gram</i>	2	
<i>cefoxitin intravenous recon soln 10 gram, 2 gram</i>	2	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	
<i>ceftazidime injection recon soln 1 gram, 2 gram</i> (Fortaz)	2	
<i>ceftazidime injection recon soln 6 gram</i> (Tazicef)	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<b>TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG</b>	5	NDS
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	
<i>azithromycin oral tablet 600 mg</i>	2	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
<b>DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML</b>	5	ST; NDS; QL (136 per 10 days)
<b>DIFICID ORAL TABLET 200 MG</b>	5	ST; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Miscellaneous B-Lactam Antibiotics</b>		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; LA; NDS
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	2	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	
<i>meropenem intravenous recon soln 1 gram</i>	2	
<i>meropenem intravenous recon soln 500 mg</i>	2	
<i>meropenem-0.9% nacl 500 mg/500 mg/50 ml</i>	2	
<b>Penicillins</b>		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i> (Augmentin)	1	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ampicillin oral capsule 250 mg, 500 mg</i>	2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	
<i>ampicillin-sulbactam injection recon (Unasyn) soln 1.5 gram, 15 gram, 3 gram</i>	2	
<b>BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML</b>	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
<i>nafcillin 1 gml 50 ml inj 1 gram/50 ml</i>	2	
<i>nafcillin 2 gml 100 ml inj 2 gram/100 ml</i>	2	
<i>nafcillin injection recon soln 1 gram, 2 gram</i>	2	
<i>nafcillin injection recon soln 10 gram</i>	5	NDS
<i>penicillin g potassium injection recon (Pfizerpen-G) soln 20 million unit</i>	2	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>pfizerpen-g injection recon soln 20 million unit</i>	2	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	
<b>Quinolones</b>		
<b>BAXDELA ORAL TABLET 450 MG</b>	5	PA; NDS; QL (28 per 14 days)
<i>ciprofloxacin hcl 750 mg tab flc 750 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	2	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	
<i>moxifloxacin oral tablet 400 mg</i>	2	
<b>Sulfonamides</b>		
<i>sulfadiazine oral tablet 500 mg</i>	2	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	2	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	
<b>Tetracyclines</b>		
<i>doxy-100 intravenous recon soln 100 mg</i>	2	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	2	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	2	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin)	2	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral tablet 50 mg</i>	2	QL (60 per 30 days)
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>mondoxyne nl oral capsule 100 mg</i>	2	QL (60 per 30 days)
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NDS
<b>Anticancer Agents</b>		
<b>Anticancer Agents</b>		
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA BvD; NDS
ADCETRIS INTRAVENOUS RECON SOLN 50 MG	5	PA NSO; NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD
<i>adrucil intravenous solution 2.5 gram/50 ml</i>	2	PA BvD
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	5	PA NSO; NDS; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG	5	PA NSO; NDS; QL (56 per 28 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; NDS; QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	5	NDS
<i>arsenic trioxide intravenous solution 2 mg/ml</i> (Trisenox)	5	NDS
ASPARLAS INTRAVENOUS SOLUTION 750 UNIT/ML	5	PA NSO; NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
BESPONSIA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	
BLENREP INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>clofarabine intravenous solution 20 mg/20 ml</i> (Clolar)	5	NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml</i>	5	PA BvD; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	4	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NDS; QL (120 per 28 days)
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; LA; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	5	NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (Adriamycin)	2	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	5	PA BvD; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ENHERTU INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	5	PA NSO; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	2	
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor)	5	PA NSO; NDS; QL (28 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NDS
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i>	2	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NDS; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG	5	PA NSO; NDS
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	4	PA NSO; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NDS; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INLYTA ORAL TABLET 1 MG	5	PA NSO; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NDS; QL (60 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NDS
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X 2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	
LEUKERAN ORAL TABLET 2 MG	5	NDS
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	5	NDS
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NDS; QL (240 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NDS
MATULANE ORAL CAPSULE 50 MG	5	NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MONJUVI INTRAVENOUS RECON SOLN 200 MG	5	PA NSO; NDS
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	PA NSO; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NDS
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	5	PA NSO; NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NDS; QL (14 per 21 days)
PEPAXTO INTRAVENOUS RECON SOLN 20 MG	5	PA NSO; NDS; QL (2 per 28 days)
PHESGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG-30000 UNIT/15ML	5	PA NSO; NDS; QL (15 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 600 MG-600 MG-20000 UNIT/10ML	5	PA NSO; NDS; QL (10 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NDS; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG	5	PA NSO; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (21 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; NDS; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; LA; NDS; QL (28 per 28 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (224 per 28 days)
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NDS
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NDS
TABLOID ORAL TABLET 40 MG	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA NSO; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TARGRETIN TOPICAL GEL 1 %	5	PA NSO; NDS
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>thiotepa injection recon soln 100 mg, 15 mg</i> (Tepadina)	5	NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
<i>toposar intravenous solution 20 mg/ml</i>	2	
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	PA NSO; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	4	QL (1 per 28 days)
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NDS
TRODELVY INTRAVENOUS RECON SOLN 180 MG	5	PA NSO; NDS
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
UKONIQ ORAL TABLET 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NDS
<i>valrubicin intravesical solution 40 mg/ml</i> (Valstar)	5	NDS
VELCADE INJECTION RECON SOLN 3.5 MG	5	PA NSO; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS, DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	5	PA NSO; NDS; QL (20 per 28 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (20 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	5	PA NSO; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	5	PA NSO; NDS; QL (12 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
YONSA ORAL TABLET 125 MG	5	PA NSO; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NDS; QL (240 per 30 days)
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	5	PA NSO; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NDS
ZYTIGA ORAL TABLET 250 MG, 500 MG	5	PA NSO; NDS; QL (120 per 30 days)
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	ST; QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	ST; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	ST; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i> (Epilex)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	
CELONTIN ORAL CAPSULE 300 MG	4	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	2	PA NSO; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	2	PA NSO; QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial)	4	
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	4	
<i>divalproex oral capsule, delayed release sprinkle 125 mg</i> (Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	
<i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NDS
<i>epilex oral tablet 200 mg</i>	2	
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NDS
<i>fospphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	QL (120 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG	4	ST
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 600 MG	5	ST; NDS
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	2	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	2	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NDS
<i>rufinamide oral tablet 200 mg, 400 mg</i> (Banzel)	5	ST; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	
<i>valproic acid oral capsule 250 mg</i>	2	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	4	
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i>	5	PA NSO; NDS; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	3	QL (200 per 5 days)
VIMPAT ORAL SOLUTION 10 MG/ML	3	QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	3	QL (60 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XCOPRI ORAL TABLET 100 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i>	2	
<b>Antidementia Agents</b>		
<b>Antidementia Agents</b>		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	QL (60 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	2	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	2	QL (60 per 30 days)
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	3	ST
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	3	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antidepressants</b>		
<b>Antidepressants</b>		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	2	
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	2	
<i>citalopram oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i> (Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	2	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	2	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	2	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>doxepin oral concentrate 10 mg/ml</i>	1	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release (drlec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	2	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	PA NSO-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PAXIL ORAL SUSPENSION 10 MG/5 ML	4	PA NSO-HRM; AGE (Max 64 Years)
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG	4	PA NSO
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	2	
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	
<i>trazodone oral tablet 300 mg</i>	2	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	2	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	3	QL (30 per 30 days)
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	3	
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	5	NDS
<b>Antidiabetic Agents</b>		
<b>Antidiabetic Agents, Miscellaneous</b>		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FARXIGA ORAL TABLET 10 MG, 5 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NDS; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i>	6	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	6	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	6	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	6	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	6	QL (60 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	QL (1.5 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML)	3	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	6	QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	6	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	6	QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NDS; QL (10.8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5- 1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA 3-PAK SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10- 1,000 MG, 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5- 1,000 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
<b>Insulins</b>		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	QL (24 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70- 30)	3	QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70- 30)	2	QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NOVOLOG MIX 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	QL (15 per 28 days)
<b>Sulfonylureas</b>		
<i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl)	6	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	6	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i> (Glucotrol)	6	QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	6	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	6	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL)	6	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	6	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	6	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> (Glynase)	6	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	6	PA-HRM; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	6	PA-HRM; AGE (Max 64 Years)
<b>Antifungals</b>		
<b>Antifungals</b>		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	5	PA BvD; NDS
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD
<i>casprofungin intravenous recon soln 50 mg</i> (Cancidas)	5	NDS
<i>casprofungin intravenous recon soln 70 mg</i> (Cancidas)	2	
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	2	QL (180 per 30 days)
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	2	QL (19.8 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	2	
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	2	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	QL (90 per 30 days)
<i>econazole topical cream 1 %</i>	2	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	PA BvD
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan)	2	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Diflucan)	2	
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	
<i>griseofulvin microsize oral tablet 500 mg</i>	2	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ketoconazole oral tablet 200 mg</i>	2	
<i>ketoconazole topical cream 2 %</i>	2	QL (180 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>	2	
<b>NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)</b>	5	PA; NDS
<i>nyamyc topical powder 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>	2	
<i>nystatin topical cream 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	2	QL (60 per 30 days)
<i>nystop topical powder 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>posaconazole oral tablet, delayed release (drlec) 100 mg</i> (Noxafil)	5	PA; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	PA; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	2	
<b>Antigout Agents</b>		
<b>Antigout Agents, Other</b>		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	
<i>allopurinol oral tablet 300 mg</i>	1	
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	4	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	ST; QL (30 per 30 days)
<b>MITIGARE ORAL CAPSULE 0.6 MG</b>	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
<i>probenecid oral tablet 500 mg</i>	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	
<b>Antihistamines</b>		
<b>Antihistamines</b>		
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	PA-HRM; AGE (Max 64 Years)
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	2	
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i> (Diphen)	2	PA-HRM; AGE (Max 64 Years)
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	2	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	PA-HRM; AGE (Max 64 Years)
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	
<i>metronidazole vaginal gel 0.75 %</i> (Metrogel Vaginal)	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	2	
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
<i>dihydroergotamine injection solution 1 mg/ml</i> (D.H.E.45)	2	QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	NDS; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 10 mg</i> (Maxalt-MLT)	2	QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 5 mg</i>	2	QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 20 mg/actuation</i> (Imitrex)	2	QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 5 mg/actuation</i> (Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	2	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml</i> (Imitrex STATdose Refill)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	QL (4 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
<b>Antimycobacterials</b>		
<b>Antimycobacterials</b>		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	2	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	2	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NDS
TRECTOR ORAL TABLET 250 MG	4	
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	2	PA BvD; QL (6 per 28 days)
<i>compro rectal suppository 25 mg</i>	2	
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>droperidol injection solution 2.5 mg/ml</i>	2	
<b>EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)</b>	4	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg</i> (Emend (fosaprepitant))	2	QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>	2	
<i>granisetron hcl intravenous solution 1 mg/ml</i>	2	
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	2	
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	2	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	
<i>ondansetron hcl oral tablet 24 mg, 8 mg</i>	2	PA BvD
<i>ondansetron hcl oral tablet 4 mg</i> (Zofran)	2	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	2	
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	2	
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i> (Phenergan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 50 mg</i> (Promethegan)	2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>promethegan rectal suppository 12.5 mg, 25 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>scopolamine base transdermal patch (Transderm-Scop) 3 day 1 mg over 3 days</i>	2	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
<b>Antiparasite Agents</b>		
<b>Antiparasite Agents</b>		
<i>albendazole oral tablet 200 mg (Albenza)</i>	5	NDS
<i>atovaquone oral suspension 750 mg/5 ml (Mepron)</i>	2	
<i>atovaquone-proguanil oral tablet 250-100 mg (Malarone)</i>	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg (Malarone Pediatric)</i>	2	
<i>chloroquine phosphate oral tablet 250 mg</i>	2	QL (50 per 30 days)
<i>chloroquine phosphate oral tablet 500 mg</i>	2	QL (25 per 30 days)
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet 200 mg (Plaquenil)</i>	2	QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg (Stromectol)</i>	2	
KRINTAFEL ORAL TABLET 150 MG	4	
<i>mefloquine oral tablet 250 mg</i>	2	
<i>nitazoxanide oral tablet 500 mg (Alinia)</i>	5	NDS
<i>paromomycin oral capsule 250 mg (Humatin)</i>	2	
<i>pentamidine inhalation recon soln 300 mg (Nebupent)</i>	2	PA BvD
<i>pentamidine injection recon soln 300 mg (Pentam)</i>	2	
PRIMAQUINE ORAL TABLET 26.3 MG	4	
<i>pyrimethamine oral tablet 25 mg (Daraprim)</i>	5	PA; NDS
<i>quinine sulfate oral capsule 324 mg (Qualaquin)</i>	2	PA; QL (42 per 7 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antiparkinsonian Agents</b>		
<b>Antiparkinsonian Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	5	PA; NDS; QL (60 per 30 days)
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	2	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg</i> (Sinemet)	2	
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	4	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	4	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	4	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	4	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	4	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	4	
<i>entacapone oral tablet 200 mg</i> (Comtan)	2	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)	1	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	
XADAGO ORAL TABLET 100 MG	4	PA; QL (30 per 30 days)
XADAGO ORAL TABLET 50 MG	5	PA; NDS; QL (30 per 30 days)
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		
<i>aripiprazole oral solution 1 mg/ml</i>	2	QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	2	QL (60 per 30 days)
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	2	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	5	ST; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NDS; QL (3.2 per 28 days)
<i>asenapine maleate sublingual tablet</i> (Saphris) <i>10 mg, 2.5 mg, 5 mg</i>	2	ST; QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 42 MG	5	ST; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet 100 mg</i> (Clozaril)	2	QL (270 per 30 days)
<i>clozapine oral tablet 200 mg</i> (Clozaril)	2	QL (135 per 30 days)
<i>clozapine oral tablet 25 mg, 50 mg</i> (Clozaril)	2	QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 25 mg</i>	2	ST; QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating 150 mg</i>	2	ST; QL (180 per 30 days)
<i>clozapine oral tablet, disintegrating 200 mg</i>	5	ST; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)- 2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 100 mg/ml</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	2	
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 50 mg/ml</i>	2	
<i>haloperidol decanoate intramuscular solution 50 mg/ml(1ml)</i>	2	
<i>haloperidol lactate injection solution (Haldol) 5 mg/ml</i>	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NDS; QL (1.5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	5	NDS; QL (0.875 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	5	NDS; QL (1.315 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	5	NDS; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i>	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, (Zyprexa) 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	2	QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended (Invega) release 24hr 1.5 mg, 3 mg, 9 mg</i>	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	2	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG	5	NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Seroquel)	2	QL (90 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg</i> (Seroquel)	2	QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	4	QL (2 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	2	QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Risperdal)	2	QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i> (Risperdal)	2	QL (120 per 30 days)
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	2	QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 3 mg, 4 mg</i>	2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, (Geodon) 40 mg, 60 mg, 80 mg</i>	2	QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular (Geodon) recon soln 20 mg/ml (final conc. )</i>	2	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NDS; QL (1 per 28 days)
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml (Ziagen)</i>	2	
<i>abacavir oral tablet 300 mg (Ziagen)</i>	2	
<i>abacavir-lamivudine oral tablet 600- 300 mg (Epzicom)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	5	NDS
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	5	NDS
APTIVUS ORAL CAPSULE 250 MG	5	NDS
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i> (Reyataz)	2	
BIKTARVY ORAL TABLET 50-200-25 MG	5	NDS
CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NDS
CIMDUO ORAL TABLET 300-300 MG	5	NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NDS
CRIXIVAN ORAL CAPSULE 200 MG	4	
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NDS
DESCOVY ORAL TABLET 200-25 MG	5	NDS
<i>didanosine oral capsule, delayed release (drlec) 250 mg, 400 mg</i>	2	
DOVATO ORAL TABLET 50-300 MG	5	NDS
EDURANT ORAL TABLET 25 MG	5	NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i> (Sustiva)	2	
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	2	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	5	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi Lo)	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	5	NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	2	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i> (Truvada)	5	NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	2	
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NDS
INTELENCE ORAL TABLET 100 MG, 200 MG	5	NDS
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	
ISENTRESS ORAL TABLET 400 MG	5	NDS
ISENTRESS ORAL TABLET, CHEWABLE 100 MG, 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NDS
KALETRA ORAL TABLET 100-25 MG	4	QL (300 per 30 days)
KALETRA ORAL TABLET 200-50 MG	5	NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	2	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	2	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	5	NDS; QL (120 per 30 days)
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	2	
<i>nevirapine oral tablet 200 mg</i>	2	
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	2	
<i>nevirapine oral tablet extended release 24 hr 400 mg</i> (Viramune XR)	2	
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NDS
PIFELTRO ORAL TABLET 100 MG	5	NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	5	NDS
PREZISTA ORAL TABLET 75 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG	5	NDS
SELZENTRY ORAL TABLET 25 MG	3	
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NDS
VEMLIDY ORAL TABLET 25 MG	5	NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
<b>Antivirals, Miscellaneous</b>		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	2	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	4	QL (2 per 180 days)
<b>Hcv Antivirals</b>		
EPCLUSA ORAL TABLET 200-50 MG, 400-100 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HARVONI ORAL TABLET 45-200 MG, 90-400 MG	5	PA; NDS; QL (28 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NDS; QL (28 per 28 days)
<b>Interferons</b>		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	5	PA NSO; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	NDS
<b>Nucleosides And Nucleotides</b>		
<i>acyclovir oral capsule 200 mg</i>	2	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	2	PA BvD
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	2	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	
<i>ganciclovir sodium intravenous recon soln 500 mg</i> (Cytovene)	5	PA BvD; NDS
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	5	PA BvD; NDS
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	5	PA BvD; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ribavirin oral capsule 200 mg</i>	2	
<i>ribavirin oral tablet 200 mg</i>	2	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2	
VEKLURY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NDS
<b>Blood Products/Modifiers/Volume Expanders</b>		
<b>Anticoagulants</b>		
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	2	QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	2	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	2	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	2	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	2	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	2	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)	5	NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	2	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)	5	NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)	5	NDS; QL (18 per 30 days)
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>heparin (porcine) injection solution</i> 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	2	
<i>heparin (porcine) injection syringe</i> 5,000 unit/ml	2	
<i>heparin, porcine (pf) injection</i> <i>solution 1,000 unit/ml</i>	2	
<i>heparin, porcine (pf) injection</i> <i>syringe 5,000 unit/0.5 ml</i>	2	
<i>jantoven oral tablet 1 mg, 10 mg, 2</i> <i>mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg,</i> <i>7.5 mg</i>	1	
<i>warfarin oral tablet 1 mg, 10 mg, 2</i> (Jantoven) <i>mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg,</i> <i>7.5 mg</i>	1	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
<b>Blood Formation Modifiers</b>		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NDS; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NDS; QL (7 per 7 days)
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
ORLADEYO ORAL CAPSULE 110 MG, 150 MG	5	PA; NDS; QL (30 per 30 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NDS; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Hematologic Agents, Miscellaneous</b>		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
CABLIVI INJECTION KIT 11 MG	5	PA; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	5	PA; NDS
<i>protamine intravenous solution 10 mg/ml</i>	2	
SIKLOS ORAL TABLET 1,000 MG, 100 MG	4	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution</i> (Cyklokapron) 1,000 mg/10 ml (100 mg/ml)	2	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	2	QL (30 per 30 days)
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	2	QL (30 per 30 days)
<b>Caloric Agents</b>		
<b>Caloric Agents</b>		
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 10 % in water (d10w)</i> <i>intravenous parenteral solution 10 %</i>	2	PA BvD
<i>dextrose 5 % in water (d5w)</i> <i>intravenous parenteral solution</i>	4	
<i>dextrose 5 % in water (d5w)</i> <i>intravenous piggyback 5 %</i>	2	
<i>dextrose 5%-water iv soln single use</i>	1	
<i>dextrose 5%-water iv soln single use</i>	2	
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	4	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	2	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	2	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	2	QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	2	
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	5	PA; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	
<i>methyldopa oral tablet 250 mg, 500 mg</i>	2	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	2	
<b>Angiotensin II Receptor Antagonists</b>		
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	6	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	6	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	6	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	6	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	6	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	6	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	6	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	6	
<b>Angiotensin-Converting Enzyme Inhibitors</b>		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	6	
<i>benazepril oral tablet 5 mg</i>	6	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	6	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	6	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	6	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	6	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	6	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	6	
<i>lisinopril oral tablet 20 mg</i> (Prinivil)	6	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	6	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	6	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	6	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	6	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	6	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	6	
<b>Antiarrhythmic Agents</b>		
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	
<i>amiodarone oral tablet 400 mg</i> (Pacerone)	2	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	2	PA-HRM; AGE (Max 64 Years)
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	
<i>lidocaine (pf) injection solution 10 mg/ml (1 %)</i> (Xylocaine-MPF)	1	
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	1	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	
<b>MULTAQ ORAL TABLET 400 MG</b>	3	
<i>pacerone oral tablet 200 mg</i>	1	
<i>pacerone oral tablet 400 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	
<i>procainamide intravenous syringe 100 mg/ml</i>	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg</i>	1	
<i>quinidine sulfate oral tablet 300 mg</i>	2	
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	2	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	2	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac)	2	
<b>BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG</b>	3	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	
<i>labetalol intravenous solution 5 mg/ml</i>	2	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	2	
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i> (Lopressor HCT)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>propranolol intravenous solution 1 mg/ml</i>	2	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	2	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine)	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<b>Calcium-Channel Blocking Agents</b>		
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	
<i>diltiazem hcl oral capsule, extended release 24 hr 420 mg</i> (Tiadyt ER)	2	
<i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diltiazem hcl oral tablet 90 mg</i>	2	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	2	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	2	
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	2	
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> (Verelan)	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i> (Verelan)	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	2	
<b>Cardiovascular Agents, Miscellaneous</b>		
<b>CORLANOR ORAL SOLUTION 5 MG/5 ML</b>	3	QL (600 per 30 days)
<b>CORLANOR ORAL TABLET 5 MG, 7.5 MG</b>	3	QL (60 per 30 days)
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>	4	QL (4 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i> (Adrenalin)	1	
<i>hydralazine injection solution 20 mg/ml</i>	2	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Firazyr)	5	PA; NDS; QL (18 per 30 days)
<i>metirosine oral capsule 250 mg</i> (Demser)	5	NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i> (Ranexa)	2	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i> (Ranexa)	2	QL (120 per 30 days)
VYNDAMAX ORAL CAPSULE 61 MG	5	PA; NDS; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	5	PA; NDS; QL (120 per 30 days)
<b>Dihydropyridines</b>		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	6	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	6	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	6	
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	
<i>nifedipine oral capsule 10 mg, 20 mg</i>	2	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	2	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i> (Adalat CC)	2	
<b>Diuretics</b>		
<i>amiloride oral tablet 5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide injection solution 0.25 mg/ml</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	2	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NDS; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NDS; QL (56 per 28 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	
<i>toremide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	2	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	
<b>Dyslipidemics</b>		
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	6	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	
<i>cholestyramine light oral powder in packet 4 gram</i>	2	
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	2	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	2	
<i>colestipol oral packet 5 gram</i> (Colestid)	2	
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>	2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	5	PA; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	5	PA; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG	5	PA; NDS; QL (45 per 30 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	6	
NEXLETOL ORAL TABLET 180 MG	3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> (Niaspan Extended-Release)	2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	3	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	6	
<i>pravastatin oral tablet 20 mg, 40 mg</i>	6	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	2	
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	6	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Zocor)	6	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg</i>	6	QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	2	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	2	QL (120 per 30 days)
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	2	
<b>Vasodilators</b>		
BIDIL ORAL TABLET 20-37.5 MG	3	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Minitran)	2	
<b>Central Nervous System Agents</b>		
<b>Central Nervous System Agents</b>		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	2	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	2	QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NDS; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NDS; QL (60 per 30 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i> (Cafcit)	2	PA BvD
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	5	PA; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	5	PA; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	2	PA; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	2	QL (60 per 30 days)
<i>dextroamphetamine oral tablet 10 mg</i> (Zenedi)	2	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dextroamphetamine oral tablet 5 mg</i> (Zenzedi)	2	QL (90 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr</i> (Adderall XR) 10 mg, 15 mg, 5 mg	2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr</i> (Adderall XR) 20 mg, 25 mg, 30 mg	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	2	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release(drlec) 120 mg</i> (Tecfidera)	5	PA; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule, delayed release(drlec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	5	PA; NDS
<i>dimethyl fumarate oral capsule, delayed release(drlec) 240 mg</i> (Tecfidera)	5	PA; NDS; QL (60 per 30 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>	2	
<b>GILENYA ORAL CAPSULE</b> 0.25 MG, 0.5 MG	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	5	PA; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	5	PA; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	5	PA; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	QL (30 per 30 days)
<b>KESIMPTA PEN</b> <b>SUBCUTANEOUS PEN</b> <b>INJECTOR 20 MG/0.4 ML</b>	5	PA; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 2 MG	5	PA; NDS; QL (30 per 30 days)
MAYZENT STARTER PACK ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NDS
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML	5	PA; NDS; QL (2800 per 28 days)
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
<i>tetrabenazine oral tablet 12.5 mg,</i> (Xenazine) <i>25 mg</i>	5	PA; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NDS; QL (120 per 30 days)
<b>Contraceptives</b>		
<b>Contraceptives</b>		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	2	
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	2	
<i>aranelle (28) oral tablet 0.5/1/0.5- 35 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ashlyna oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	2	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	2	
<i>ayuna oral tablet 0.15-0.03 mg</i>	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	
<i>camila oral tablet 0.35 mg</i>	1	
<i>caziant (28) oral tablet 0.11.125/1.15-25 mg-mcg</i>	2	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	2	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	2	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cyred eq oral tablet 0.15-0.03 mg</i>	2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	1	
<i>desog-e.estradiolle.estradiol oral tablet 0.15-0.02 mgx21 10.01 mg x 5</i> (Azurette (28))	2	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Apri)	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i> (Jasmiel (28))	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> (Syeda)	2	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	2	
<b>ELLA ORAL TABLET 30 MG</b>	4	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	2	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	2	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	2	
<i>errin oral tablet 0.35 mg</i>	1	
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i> (Kelnor 1/35 (28))	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i> (Kelnor 1-50 (28))	2	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> (EluRyng)	4	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	1	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>hailey oral tablet 1.5-30 mg-mcg</i>	2	
<i>heather oral tablet 0.35 mg</i>	1	
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	1	
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	2	
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	2	
<i>jencycla oral tablet 0.35 mg</i>	1	
<i>juleber oral tablet 0.15-0.03 mg</i>	2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>kalliga oral tablet 0.15-0.03 mg</i>	2	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	2	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	2	
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> (LoJaimiess)	2	QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>l norgestle.estradiol-e. estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (Amethia)	2	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	2	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> (Afirmelle)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> (Altavera (28))	2	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (Iclevia)	2	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (Enpresse)	2	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	2	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	2	
<i>lojaimiess oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	2	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	2	
<i>lutra (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>lyleq oral tablet 0.35 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lyza oral tablet 0.35 mg</i>	1	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>mili oral tablet 0.25-35 mg-mcg</i>	1	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	2	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nikki (28) oral tablet 3-0.02 mg</i>	2	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i> (Camila)	1	
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i> (Aurovela 1.5/30 (21))	2	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> (Aurovela 1/20 (21))	2	
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> (Gemmyly)	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Aurovela Fe 1-20 (28))	1	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (Aurovela Fe 1.5/30 (28))	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (Tri-Lo-Estarylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (Tri-Estarylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> (Femynor)	2	
<i>norlyda oral tablet 0.35 mg</i>	1	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	2	
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	2	
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg</i>	2	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	2	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	1	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	2	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	1	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	2	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	2	
<i>syeda oral tablet 3-0.03 mg</i>	2	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-legest fe oral tablet 1-20(5)/1- 30(7) /1mg-35mcg (9)</i>	2	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tri-lo-estarylla oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	1	
<i>tri-lo-marzia oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	1	
<i>tri-lo-mili oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	1	
<i>tri-lo-sprintec oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	2	
<i>tri-mili oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	2	
<i>tri-nymyo oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	2	
<i>tri-previfem (28) oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	1	
<i>tri-sprintec (28) oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	2	
<i>trivora (28) oral tablet</i> 50-30 (6)/75-40 (5)/125-30(10)	2	
<i>tri-vylibra lo oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	1	
<i>tri-vylibra oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	2	
<i>tulana oral tablet</i> 0.35 mg	1	
<i>tyblume oral tablet, chewable</i> 0.1 mg- 20 mcg	2	
<i>velivet triphasic regimen (28) oral</i> <i>tablet</i> 0.1/1.125/1.15-25 mg-mcg	2	
<i>vestura (28) oral tablet</i> 3-0.02 mg	2	
<i>vienva oral tablet</i> 0.1-20 mg-mcg	2	
<i>viorele (28) oral tablet</i> 0.15-0.02 mgx21 /0.01 mg x 5	2	
<i>volnea (28) oral tablet</i> 0.15-0.02 mgx21 /0.01 mg x 5	2	
<i>vyfemla (28) oral tablet</i> 0.4-35 mg- mcg	2	
<i>vylibra oral tablet</i> 0.25-35 mg-mcg	2	
<i>wera (28) oral tablet</i> 0.5-35 mg- mcg	2	
<i>xulane transdermal patch weekly</i> 150-35 mcg/24 hr	2	QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>zafemy transdermal patch weekly</i> <i>150-35 mcg/24 hr</i>	2	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	2	
<i>zovia 1-35 (28) oral tablet 1-35 mg- mcg</i>	2	
<i>zovia 1-35e tablet outer 1-35 mg- mcg</i>	2	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	2	
<b>Dental And Oral Agents</b>		
<b>Dental And Oral Agents</b>		
<i>chlorhexidine gluconate mucous</i> (Paroex Oral Rinse) <i>membrane mouthwash 0.12 %</i>	1	
<i>denta 5000 plus dental cream 1.1 %</i>	1	
<i>dentagel dental gel 1.1 %</i>	1	
<i>oralone dental paste 0.1 %</i>	2	
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	1	
<i>periogard mucous membrane mouthwash 0.12 %</i>	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5</i> (Salagen (pilocarpine)) <i>mg</i>	2	
<i>sf 5000 plus dental cream 1.1 %</i>	1	
<i>sodium fluoride dental solution 0.2</i> (PreviDent) <i>%</i>	1	
<i>sodium fluoride-pot nitrate dental</i> (Fluoridex Sensitivity <i>paste 1.1-5 %</i> Relief)	1	
<i>triamcinolone acetonide dental paste</i> (Oralone) <i>0.1 %</i>	2	
<b>Dermatological Agents</b>		
<b>Dermatological Agents, Other</b>		
<i>acutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	
<i>acitretin oral capsule 10 mg, 25 mg</i> (Soriatane)	2	
<i>acitretin oral capsule 17.5 mg</i>	2	
<i>acyclovir topical ointment 5 %</i> (Zovirax)	2	QL (30 per 30 days)
<i>ammonium lactate topical cream 12 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ammonium lactate topical lotion 12 %</i> (Skin Treatment)	2	
<b>BD SINGLE USE SWAB</b>	1	
<i>calcipotriene scalp solution 0.005 %</i>	2	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	2	QL (120 per 30 days)
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
<i>imiquimod topical cream in packet 5 %</i> (Aldara)	2	QL (24 per 30 days)
<b>ISOPROPYL ALCOHOL 0.7 ML/ML MEDICATED PAD TOPICAL PADS, MEDICATED</b>	1	
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NDS
<b>PANRETIN TOPICAL GEL 0.1 %</b>	5	NDS; QL (180 per 30 days)
<i>podofilox topical solution 0.5 %</i>	2	
<b>SANTYL TOPICAL OINTMENT 250 UNIT/GRAM</b>	4	QL (180 per 30 days)
<b>VALCHLOR TOPICAL GEL 0.016 %</b>	5	NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	
<b>Dermatological Antibacterials</b>		
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	2	QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	2	
<i>ery pads topical swab 2 %</i>	2	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	2	QL (180 per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>	2	QL (180 per 30 days)
<i>gentamicin topical cream 0.1 %</i>	2	QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metronidazole topical gel 1 %</i> (Metrogel)	2	
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	2	
<i>mupirocin topical ointment 2 %</i> (Centany)	1	QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	
<i>rosadan topical cream 0.75 %</i>	2	
<i>selenium sulfide topical lotion 2.5 %</i>	2	
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	2	
<i>ssd topical cream 1 %</i>	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	2	
<b>Dermatological Anti-Inflammatory Agents</b>		
<i>ala-cort topical cream 1 %</i>	1	
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i> (Temovate)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>desoximetasone topical cream 0.25 %</i> (Topicort)	2	QL (120 per 30 days)
<b>EUCRISA TOPICAL OINTMENT 2 %</b>	3	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluocinonide-e topical cream 0.05 %</i>	2	
<i>fluticasone propionate topical cream 0.05 %</i> (Cutivate)	2	
<i>fluticasone propionate topical ointment 0.005 %</i>	2	
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
<i>hydrocortisone 2.5% cream 2.5 %</i>	1	
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC)	1	
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>mometasone topical cream 0.1 %</i>	2	
<i>mometasone topical ointment 0.1 %</i>	2	
<i>mometasone topical solution 0.1 %</i>	2	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	2	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)	2	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %</i>	1	
<i>triamcinolone acetonide topical ointment 0.1 %, 0.5 %</i>	2	
<b>Dermatological Retinoids</b>		
<i>adapalene topical cream 0.1 %</i> (Differin)	2	
<i>adapalene topical gel 0.1 %</i> (Differin)	2	
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	2	
TAZORAC TOPICAL CREAM 0.05 %	4	
<i>tretinoin topical cream 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical gel 0.05 %</i> (Atralin)	2	PA
<b>Scabicides And Pediculicides</b>		
<i>malathion topical lotion 0.5 %</i> (Ovide)	2	
<i>permethrin topical cream 5 %</i> (Elimite)	2	
<b>Devices</b>		
<b>Devices</b>		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	2	
GAUZE PADS & DRESSINGS - PADS 2 X 2 TOPICAL BANDAGE 2 X 2 "	1	
INSULIN SYRINGE-NEEDLE (Ultilet Insulin Syringe) U-100 SYRINGE 0.3 ML 29 GAUGE	2	
INSULIN SYRINGE-NEEDLE (Advocate Syringes) U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	2	
INSULIN SYRINGE-NEEDLE (Lite Touch Insulin Syringe) U-100 SYRINGE 1/2 ML 28 GAUGE	2	
PEN NEEDLE, DIABETIC (1st Tier Unifine NEEDLE 29 GAUGE X 1/2" Pentips)	2	
SM STERILE PADS 2" X 2" 2"X2", STERILE 2 X 2 "	1	
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 29 GAUGE X 1/2"	2	
<b>Enzyme Replacement/Modifiers</b>		
<b>Enzyme Replacement/Modifiers</b>		
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CREON ORAL CAPSULE, DELAYED RELEASE (DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NDS; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NDS
<i>migliostat oral capsule 100 mg</i> (Zavesca)	5	PA; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	5	PA; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; NDS
ORFADIN ORAL CAPSULE 20 MG	5	PA; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NDS
<i>sapropterin oral tablet, soluble 100 mg</i> (Kuvan)	5	NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000-84,000 UNIT, 25,000-79,000-105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000-168,000 UNIT, 5,000-17,000-24,000 UNIT	3	
<b>Eye, Ear, Nose, Throat Agents</b>		
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	4	
<i>azelastine nasal aerosol, spray 137 mcg (0.1 %)</i>	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	PA; NDS; QL (60 per 28 days)
<i>epinastine ophthalmic (eye) drops</i> 0.05 %	2	
<i>ipratropium bromide nasal</i> <i>spray,non-aerosol 21 mcg (0.03 %)</i>	2	QL (30 per 28 days)
<i>ipratropium bromide nasal</i> <i>spray,non-aerosol 42 mcg (0.06 %)</i>	2	QL (15 per 10 days)
<i>olopatadine ophthalmic (eye) drops</i> 0.1 %	(Eye Allergy Itch- Redness Rlf)	2
<i>olopatadine ophthalmic (eye) drops</i> 0.2 %	(Eye Allergy Itch Relief)	2
<i>proparacaine ophthalmic (eye)</i> <i>drops 0.5 %</i>	(Alcaine)	2
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	5	PA; NDS
<b>Eye, Ear, Nose, Throat Anti- Infectives Agents</b>		
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>bacitracin ophthalmic (eye)</i> <i>ointment 500 unit/gram</i>	2	
<i>bacitracin-polymyxin b ophthalmic</i> <i>(eye) ointment 500-10,000</i> <i>unit/gram</i>	(Polycin)	2
<i>bleph-10 ophthalmic (eye) drops 10</i> <i>%</i>	2	
<i>ciprofloxacin hcl ophthalmic (eye)</i> <i>drops 0.3 %</i>	(Ciloxan)	2
<i>ciprofloxacin-dexamethasone otic</i> <i>(ear) drops,suspension 0.3-0.1 %</i>	(Ciprodex)	2
<i>erythromycin ophthalmic (eye)</i> <i>ointment 5 mg/gram (0.5 %)</i>		QL (3.5 per 4 days)
<i>gentak ophthalmic (eye) ointment</i> <i>0.3 % (3 mg/gram)</i>		2
<i>gentamicin ophthalmic (eye) drops</i> <i>0.3 %</i>		1
<i>levofloxacin ophthalmic (eye) drops</i> <i>0.5 %</i>		2
<i>moxifloxacin ophthalmic (eye)</i> <i>drops 0.5 %</i>	(Vigamox)	2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit-1 mg/ml</i> (Polytrim)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i> (Bleph-10)	2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i> (Tobrex)	2	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i> (TobraDex)	2	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	2	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	ST
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	3	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	QL (50 per 25 days)
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	
<i>fluticasone propionate nasal spray,suspension 50 mcg/lactuation</i> (24 Hour Allergy Relief)	1	QL (16 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>ketorolac ophthalmic (eye) drops</i> (Acular) 0.5 %	2	QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	
<i>loteprednol etabonate ophthalmic (eye) drops,gel</i> (Lotemax) 0.5 %	2	
<i>mometasone nasal spray,non-aerosol</i> (Nasonex) 50 mcg/actuation	2	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension</i> (Pred Forte) 1 %	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops</i> 1 %	2	
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	3	QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
<b>Gastrointestinal Agents</b>		
<b>Antiulcer Agents And Acid Suppressants</b>		
<i>cimetidine hcl oral solution</i> 300 mg/5 ml	2	
<i>esomeprazole magnesium oral capsule,delayed release(drlec)</i> 20 mg (Nexium)	2	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule,delayed release(drlec)</i> 40 mg (Nexium)	2	QL (60 per 30 days)
<i>esomeprazole sodium intravenous recon soln</i> 20 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	2	
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	
<i>famotidine intravenous solution 10 mg/ml</i>	2	
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	
<i>lansoprazole oral capsule, delayed release(drlec) 15 mg</i> (Prevacid 24Hr)	2	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(drlec) 30 mg</i> (Prevacid)	2	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	
<i>omeprazole oral capsule, delayed release(drlec) 10 mg, 20 mg, 40 mg</i>	1	
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (Zegerid)	2	ST; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	2	
<i>pantoprazole oral tablet, delayed release (drlec) 20 mg</i> (Protonix)	1	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (drlec) 40 mg</i> (Protonix)	1	QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (drlec) 20 mg</i> (AcipHex)	2	QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i> (Carafate)	2	
<b>Gastrointestinal Agents, Other</b>		
<b>CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG</b>	5	NDS
<i>constulose oral solution 10 gram/15 ml</i>	2	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	2	
<i>dicyclomine oral capsule 10 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	
<i>dicyclomine oral tablet 20 mg</i>	2	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	2	PA-HRM; AGE (Max 64 Years)
<i>enulose oral solution 10 gram/15 ml</i>	2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NDS
<i>generlac oral solution 10 gram/15 ml</i>	2	
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	2	
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	2	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	3	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM	3	QL (30 per 30 days)
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	2	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)	3	QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	2	
<i>metoclopramide hcl injection solution 5 mg/ml</i>	2	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	2	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OICALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	NDS
<i>sodium polystyrene (sorb free) oral suspension 15 gram/60 ml</i>	2	
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>ursodiol oral capsule 300 mg</i>	2	
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	2	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	
XERMELO ORAL TABLET 250 MG	5	PA; NDS; QL (90 per 30 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	2	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	
<i>gavilyte-n oral recon soln 420 gram</i>	2	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	3	
<i>trilyte with flavor packets oral recon soln 420 gram</i>	2	
<b>Phosphate Binders</b>		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	5	NDS
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	
<i>sevelamer hcl oral tablet 400 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	
<i>oxybutynin chloride oral tablet 5 mg</i>	2	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL)	2	
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	2	
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	3	
<i>trospium oral tablet 20 mg</i>	2	
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
THIOLA EC ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG, 300 MG	5	PA; NDS
<i>tiopronin oral tablet 100 mg</i> (Thiola)	5	NDS
<b>Heavy Metal Antagonists</b>		
<b>Heavy Metal Antagonists</b>		
<i>clovique oral capsule 250 mg</i>	5	PA; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>deferasirox oral granules in packet</i> (Jadenu Sprinkle) 180 mg, 360 mg, 90 mg	5	PA; NDS
<i>deferasirox oral tablet</i> 180 mg, 360 mg (Jadenu)	5	PA; NDS
<i>deferasirox oral tablet</i> 90 mg (Jadenu)	2	PA
<i>deferasirox oral tablet, dispersible</i> 125 mg (Exjade)	2	PA
<i>deferasirox oral tablet, dispersible</i> 250 mg, 500 mg (Exjade)	5	PA; NDS
<i>deferiprone oral tablet</i> 500 mg (Ferriprox)	5	PA; NDS
<i>deferoxamine injection recon soln</i> 2 gram	2	PA
<i>deferoxamine injection recon soln</i> 500 mg (Desferal)	2	PA
FERRIPROX 1,000 MG TAB(2X/DAY) 1,000 MG	5	PA; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NDS
FERRIPROX ORAL TABLET 1,000 MG	5	PA; NDS
<i>penicillamine oral capsule</i> 250 mg (Cuprimine)	5	PA; NDS
<i>penicillamine oral tablet</i> 250 mg (Depen Titratabs)	5	PA; NDS
<i>trientine oral capsule</i> 250 mg (Clovique)	5	PA; NDS; QL (240 per 30 days)
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b>		
<b>Androgens</b>		
ANADROL-50 ORAL TABLET 50 MG	5	PA; NDS
<i>danazol oral capsule</i> 100 mg, 200 mg, 50 mg	2	
<i>oxandrolone oral tablet</i> 10 mg, 2.5 mg (Oxandrin)	2	
<i>testosterone cypionate</i> <i>intramuscular oil</i> 100 mg/ml, 200 mg/ml (Depo-Testosterone)	2	PA
<i>testosterone cypionate</i> <i>intramuscular oil</i> 200 mg/ml (1 ml)	2	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1%)</i> (Vogelxo)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62%)</i> (AndroGel)	2	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1% (25 mg/2.5gram), 1% (50 mg/5 gram)</i> (AndroGel)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/lapp 30 mg/lactuation (1.5 ml)</i>	2	PA; QL (180 per 30 days)
<b>XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML</b>	3	PA; QL (2 per 28 days)
<b>Estrogens And Antiestrogens</b>		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<b>DUAVEE ORAL TABLET 0.45-20 MG</b>	3	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	PA-HRM; AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	2	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01% (0.1 mg/gram)</i> (Estrace)	2	
<i>estradiol vaginal tablet 10 mcg</i> (Yuvafem)	2	QL (18 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>estradiol valerate intramuscular oil</i> (Delestrogen) 20 mg/ml, 40 mg/ml	2	
<i>estradiol-norethindrone acet oral</i> (Amabelz) tablet 0.5-0.1 mg	2	PA-HRM; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg,</i> <i>1-5 mg-mcg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>jinteli oral tablet 1-5 mg-mcg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>lyllana transdermal patch</i> <i>semiweekly 0.025 mg/24 hr, 0.0375</i> <i>mg/24 hr, 0.05 mg/24 hr, 0.075</i> <i>mg/24 hr, 0.1 mg/24 hr</i>	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>norethindrone ac-eth estradiol oral</i> (Fyavolv) tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg	2	PA-HRM; AGE (Max 64 Years)
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	3	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG- 5MG(14)	3	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3- 1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvafem vaginal tablet 10 mcg</i>	2	QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>		
<i>a-hydrocort injection recon soln 100</i> <i>mg</i>	2	
<i>betamethasone acet,sod phos</i> (Celestone Soluspan) <i>injection suspension 6 mg/ml</i>	2	
<i>dexamethasone 0.5 mg/5 ml liq 0.5</i> <i>mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)	2	
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	2	
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NDS; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG	5	PA; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	2	
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Medrol)	2	
<i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))	2	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg, 500 mg</i> (Solu-Medrol)	2	
<i>prednisolone 15 mg/5 ml soln alf, dlf 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML	4	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	2	
<b>Pituitary</b>		
BYNFEZIA SUBCUTANEOUS PEN INJECTOR 2,500 MCG/ML	5	NDS
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	2	
<i>desmopressin nasal spray with pump 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	
EGRIFTA SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NDS; QL (30 per 30 days)
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NDS
<i>octreotide acetate injection solution</i> <i>1,000 mcg/ml, 200 mcg/ml</i>	2	
<i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	2	
<i>octreotide acetate injection syringe</i> <i>100 mcg/ml (1 ml), 50 mcg/ml (1</i> <i>ml), 500 mcg/ml (1 ml)</i>	2	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NDS; QL (56 per 28 days)
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NDS; QL (0.5 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NDS; QL (0.2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NDS; QL (1 per 168 days)
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NDS
<b>Progestins</b>		
<i>hydroxyprogesterone cap(ppres)</i> (Makena) <i>intramuscular oil 250 mg/ml</i>	5	NDS
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>suspension 150 mg/ml</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>syringe 150 mg/ml</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10</i> (Provera) <i>mg, 2.5 mg, 5 mg</i>	1	
<i>megestrol oral suspension 400 mg/10</i> <i>ml (40 mg/ml)</i>	2	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5</i> (Aygestin) <i>mg</i>	2	
<i>progesterone intramuscular oil 50</i> <i>mg/ml</i>	2	
<i>progesterone micronized oral</i> (Prometrium) <i>capsule 100 mg, 200 mg</i>	2	
<b>Thyroid And Antithyroid Agents</b>		
<i>levothyroxine oral tablet 100 mcg,</i> (Euthyrox) <i>112 mcg, 125 mcg, 137 mcg, 150</i> <i>mcg, 175 mcg, 200 mcg, 25 mcg, 50</i> <i>mcg, 75 mcg, 88 mcg</i>	1	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	
<i>methimazole oral tablet 10 mg, 5 mg</i> (Tapazole)	1	
<i>propylthiouracil oral tablet 50 mg</i>	2	
<b>Immunological Agents</b>		
<b>Immunological Agents</b>		
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	2	PA BvD
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	2	PA BvD
<i>cyclosporine modified oral capsule 50 mg</i>	2	PA BvD
<i>cyclosporine modified oral solution 100 mg/ml</i> (Gengraf)	2	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	2	PA BvD
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NDS
<i>everolimus (immunosuppressive) (Zortress) oral tablet 0.25 mg</i>	2	PA BvD
<i>everolimus (immunosuppressive) (Zortress) oral tablet 0.5 mg, 0.75 mg</i>	5	PA BvD; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	5	PA; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i>	2	PA BvD
<i>gengraf oral solution 100 mg/ml</i>	2	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA PEN PSOR-UEVITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) PEN CROHNS- UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEN PSOR-UV- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NDS
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil (hcl)</i> (CellCept Intravenous) <i>intravenous recon soln 500 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral capsule</i> (CellCept) <i>250 mg</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	5	PA BvD; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	2	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
RIDAURA ORAL CAPSULE 3 MG	5	NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG	5	PA; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	5	PA BvD; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	2	PA BvD
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	5	PA BvD; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NDS
ZORTRESS ORAL TABLET 1 MG	5	PA BvD; NDS
<b>Vaccines</b>		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	6	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	6	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	6	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	6	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	6	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	6	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	6	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	6	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	6	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	6	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	6	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	6	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF- MCG-LF/0.5ML	6	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	6	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	6	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	6	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	6	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	6	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	6	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	6	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	6	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	6	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	6	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	6	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	6	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	6	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	6	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	6	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	6	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	6	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	6	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	6	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	6	
TETANUS, DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	6	
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	6	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	6	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	6	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	6	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	6	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	6	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	6	QL (1 per 365 days)

## Inflammatory Bowel Disease

### Agents

#### Inflammatory Bowel Disease Agents

<i>alose tron oral tablet 0.5 mg</i>	(Lotronex)	2	
<i>alose tron oral tablet 1 mg</i>	(Lotronex)	5	NDS
<i>balsalazide oral capsule 750 mg</i>	(Colazal)	2	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	(Entocort EC)	2	
DIPENTUM ORAL CAPSULE 250 MG		5	ST; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i>	(Cortenema)	4	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i>	(Delzicol)	2	
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i>	(Apriso)	2	
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i>	(Lialda)	2	
<i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i>	(Asacol HD)	2	
<i>mesalamine rectal suppository 1,000 mg</i>	(Canasa)	2	
<i>sulfasalazine oral tablet 500 mg</i>	(Azulfidine)	2	
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i>	(Azulfidine EN-tabs)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
UCERIS RECTAL FOAM 2 MG/ACTUATION	3	
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	
<i>cinacalcet oral tablet 30 mg</i> (Sensipar)	2	QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg</i> (Sensipar)	5	NDS; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	5	NDS; QL (120 per 30 days)
EVENITY SUBCUTANEOUS SYRINGE 105 MG/1.17 ML, 210MG/2.34ML ( 105MG/1.17MLX2)	5	PA; NDS; QL (2.34 per 30 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	2	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	2	QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NDS; QL (2 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	2	
<i>paricalcitol oral capsule 4 mcg</i>	2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (drlec) 35 mg</i> (Atelvia)	2	QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	2	QL (100 per 300 days)
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NDS
<i>bupirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	5	NDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NDS
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule</i> 100 mg	2	
<i>hydroxyzine pamoate oral capsule</i> (Vistaril) 25 mg, 50 mg	1	
KEVEYIS ORAL TABLET 50 MG	5	PA; NDS; QL (120 per 30 days)
<i>leucovorin calcium injection recon</i> <i>soln 100 mg, 200 mg, 350 mg, 50</i> <i>mg, 500 mg</i>	2	
<i>leucovorin calcium injection solution</i> 10 mg/ml	2	
<i>leucovorin calcium oral tablet 10</i> <i>mg, 15 mg, 25 mg, 5 mg</i>	2	
<i>levocarnitine (with sugar) oral</i> (Carnitor) <i>solution 100 mg/ml</i>	2	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	4	
<i>levoleucovorin calcium intravenous</i> (Fusilev) <i>recon soln 50 mg</i>	5	NDS
<i>mesna intravenous solution 100</i> (Mesnex) <i>mg/ml</i>	2	
MESNEX ORAL TABLET 400 MG	5	NDS
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	5	PA; NDS
<i>pyridostigmine bromide oral syrup</i> (Mestinon) <i>60 mg/5 ml</i>	2	
<i>pyridostigmine bromide oral tablet</i> 30 mg	2	
<i>pyridostigmine bromide oral tablet</i> (Mestinon) 60 mg	2	
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (60 per 30 days)
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NDS
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NDS; QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NDS; QL (120 per 30 days)
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	3	
<i>dorzolamide ophthalmic (eye) drops (Trusopt) 2 %</i>	2	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml (Cosopt)</i>	2	
<i>latanoprost ophthalmic (eye) drops 0.005 % (Xalatan)</i>	1	QL (2.5 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>levobunolol ophthalmic (eye) drops</i> 0.5 %	1	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>metipranolol ophthalmic (eye)</i> <i>drops 0.3 %</i>	2	
<i>pilocarpine hcl ophthalmic (eye)</i> (Isopto Carpine) <i>drops 1 %, 2 %, 4 %</i>	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1- 0.2 %	3	
<i>timolol maleate ophthalmic (eye)</i> (Timoptic) <i>drops 0.25 %, 0.5 %</i>	1	
<i>timolol maleate ophthalmic (eye)</i> (Timoptic-XE) <i>gel forming solution 0.25 %, 0.5 %</i>	4	
<i>travoprost ophthalmic (eye) drops</i> (Travatan Z) <i>0.004 %</i>	2	QL (2.5 per 25 days)
<b>Replacement Preparations</b>		
<b>Replacement Preparations</b>		
<i>calcium chloride intravenous syringe</i> <i>100 mg/ml (10 %)</i>	2	
<i>d5 % and 0.9 % sodium chloride</i> <i>intravenous parenteral solution</i>	4	
<i>d5 %-0.45 % sodium chloride</i> <i>intravenous parenteral solution</i>	4	
ISOLYTE S IV SOLUTION- EXCEL SINGLE USE	4	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>klor-con m10 oral tablet,er</i> <i>particles/crystals 10 meq</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	2	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4%), 40 gram/1,000 ml (4%)</i>	2	PA BvD
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4%), 4 gram/100 ml (4%), 4 gram/50 ml (8%)</i>	2	PA BvD
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	PA BvD
<b>NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION</b>	4	
<b>PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION</b>	4	
<b>PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION</b>	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>	1	PA BvD
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral tablet (K-Tab) extended release 10 meq, 20 meq, 8 meq</i>	2	
<i>potassium chloride oral tablet,er (Klor-Con M10) particles/crystals 10 meq</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20)	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	2	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	2	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	
<i>sodium chloride 0.9 % intravenous piggyback</i>	2	
<i>sodium chloride 0.9% solution viaflex, single use</i>	4	
<b>Respiratory Tract Agents</b>		
<b>Anti-Inflammatories, Inhaled Corticosteroids</b>		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	2	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> (Pulmicort)	2	PA BvD; QL (120 per 30 days)
<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> (Pulmicort)	2	PA BvD; QL (60 per 30 days)
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	3	QL (12 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	3	QL (24 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	3	QL (21.2 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	3	QL (30.6 per 30 days)
<b>Antileukotrienes</b>		
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Bronchodilators</b>		
<i>albuterol 5 mg/ml solution 5 mg/ml</i>	2	PA BvD; QL (120 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcglactuation</i> (ProAir HFA)	2	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcglactuation (nda020503)</i>	2	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcglactuation (nda020983)</i>	4	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i>	2	PA BvD; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	2	PA BvD; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; QL (540 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NDS
<i>theophylline oral solution 80 mg/15 ml</i>	2	
<i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i>	2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	QL (60 per 30 days)
<b>Respiratory Tract Agents, Other</b>		
<i>acetylcysteine intravenous solution 200 mg/ml (20%)</i> (Acetadote)	2	
<i>acetylcysteine solution 100 mg/ml (10%), 200 mg/ml (20%)</i>	2	PA BvD
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
DALIRESP ORAL TABLET 250 MCG	3	QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	3	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	5	PA; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	5	PA; NDS; QL (90 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	5	PA; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NDS; QL (120 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,L/F,SUV 1,000 MG (+/-)/20 ML	5	PA BvD; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NDS
<b>Skeletal Muscle Relaxants</b>		
<b>Skeletal Muscle Relaxants</b>		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<i>chlorzoxazone oral tablet 250 mg</i>	5	PA-HRM; NDS; QL (120 per 30 days); AGE (Max 64 Years)
<i>chlorzoxazone oral tablet 500 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg</i>	2	
<i>dantrolene oral capsule 25 mg, 50 mg</i> (Dantrium)	2	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>revonto intravenous recon soln 20 mg</i>	2	
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	
<b>Sleep Disorder Agents</b>		
<b>Sleep Disorder Agents</b>		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	5	PA; NDS; QL (150 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	5	PA; NDS; QL (30 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	5	PA; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	QL (30 per 30 days)
<b>Vasodilating Agents</b>		
<b>Vasodilating Agents</b>		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	2	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NDS; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg, 1.5 mg</i> (Flolan)	5	PA; NDS
OPSUMIT ORAL TABLET 10 MG	5	PA; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i> (Revatio)	5	PA; NDS; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	2	PA; QL (90 per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq)	2	PA; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	5	PA; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NDS; QL (112 per 28 days)
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

## INDEX

<i>abacavir</i> .....	58	AKYNZEO		<i>amlodipine-valsartan</i> .....	77
<i>abacavir-lamivudine</i> .....	58	(NETUPITANT).....	49	<i>ammonium lactate</i> .....	92, 93
<i>abacavir-lamivudine-</i>		<i>ala-cort</i> .....	94	<i>amoxapine</i> .....	38
<i>zidovudine</i> .....	59	<i>albendazole</i> .....	51	<i>amoxicillin</i> .....	14
ABELCET.....	45	<i>albuterol sulfate</i> .....	133	<i>amoxicillin-pot clavulanate</i> .....	14
ABRAXANE.....	17	<i>alclometasone</i> .....	94	<i>amphotericin b</i> .....	45
<i>acamprostate</i> .....	7	ALDURAZYME.....	97	<i>ampicillin</i> .....	15
<i>acarbose</i> .....	40	ALECENSA.....	17	<i>ampicillin sodium</i> .....	15
<i>accutane</i> .....	92	<i>alendronate</i> .....	125	<i>ampicillin-sulbactam</i> .....	15
<i>acebutolol</i> .....	74	<i>alfuzosin</i> .....	107	ANADROL-50.....	108
<i>acetaminophen-codeine</i> .....	3	ALIMTA.....	17	<i>anagrelide</i> .....	68
<i>acetazolamide</i> .....	128	ALIQOPA.....	17	<i>anastrozole</i> .....	18
<i>acetazolamide sodium</i> .....	128	<i>aliskiren</i> .....	80	ANORO ELLIPTA.....	133
<i>acetic acid</i> .....	100	<i>allopurinol</i> .....	46	APOKYN.....	52
<i>acetylcysteine</i> .....	134	<i>alosetron</i> .....	124	<i>apraclonidine</i> .....	99
<i>acitretin</i> .....	92	ALPHAGAN P.....	128	<i>aprepitant</i> .....	49
ACTHIB (PF).....	119	<i>alprazolam</i> .....	9	<i>apri</i> .....	84
ACTIMMUNE.....	126	ALREX.....	102	APTIOM.....	32
<i>acyclovir</i> .....	64, 92	<i>altavera (28)</i> .....	84	APTIVUS.....	59
<i>acyclovir sodium</i> .....	64	ALTRENO.....	96	APTIVUS (WITH VITAMIN	
ADACEL(TDAP		ALUNBRIG.....	18	E).....	59
ADOLESN/ADULT)(PF)....	119	<i>alyacen 1/35 (28)</i> .....	84	<i>aranelle (28)</i> .....	84
ADAKVEO.....	68	<i>alyacen 7/7/7 (28)</i> .....	84	ARCALYST.....	115
<i>adapalene</i> .....	96	<i>alyq</i> .....	137	<i>aripiprazole</i> .....	53
ADCETRIS.....	17	<i>amabelz</i> .....	109	ARISTADA.....	54
<i>adefovir</i> .....	64	<i>amantadine hcl</i> .....	52	ARISTADA INITIO.....	54
ADEMPAS.....	137	AMBISOME.....	45	<i>armodafinil</i> .....	136
<i>adriamycin</i> .....	17	<i>ambrisentan</i> .....	137	ARNUITY ELLIPTA.....	131
<i>adrucil</i> .....	17	<i>amethia</i> .....	84	<i>arsenic trioxide</i> .....	18
ADVAIR DISKUS.....	131	<i>amiloride</i> .....	77	<i>asenapine maleate</i> .....	54
ADVAIR HFA.....	131	<i>amiloride-hydrochlorothiazide</i> ..	78	<i>ashlyna</i> .....	85
AFINITOR.....	17	AMINOSYN II 15 %.....	68	ASPARLAS.....	18
AFINITOR DISPERZ.....	17	AMINOSYN-PF 7 %		<i>aspirin-dipyridamole</i> .....	68
<i>afirmelle</i> .....	84	(SULFITE-FREE).....	69	ASSURE ID INSULIN	
<i>a-hydrocort</i> .....	110	<i>amiodarone</i> .....	73	SAFETY.....	96
AKYNZEO		<i>amitriptyline</i> .....	38	<i>atazanavir</i> .....	59
(FOSNETUPITANT).....	49	<i>amlodipine</i> .....	77	<i>atenolol</i> .....	74
		<i>amlodipine-benazepril</i> .....	77	<i>atenolol-chlorthalidone</i> .....	74

<i>atomoxetine</i> .....	81	BD VEO INSULIN	BRILINTA.....	68
<i>atorvastatin</i> .....	79	SYRINGE UF.....	<i>brimonidine</i> .....	128
<i>atovaquone</i> .....	51	<i>bekyree (28)</i> .....	BRIVIACT.....	32
<i>atovaquone-proguanil</i> .....	51	BELEODAQ.....	<i>bromocriptine</i> .....	52
<i>atropine</i> .....	99	BELSOMRA.....	BROMSITE.....	102
ATROVENT HFA.....	133	<i>benazepril</i> .....	BRONCHITOL.....	134
AUBAGIO.....	81	<i>benazepril-hydrochlorothiazide</i> .....	BRUKINSA.....	19
<i>aubra eq</i> .....	85	BENDEKA.....	<i>budesonide</i> .....	124, 132
<i>aurovela 1.5/30 (21)</i> .....	85	BENLYSTA.....	<i>bumetanide</i> .....	78
<i>aurovela 1/20 (21)</i> .....	85	<i>benztropine</i> .....	<i>buprenorphine hcl</i> .....	3, 8
<i>aurovela 24 fe</i> .....	85	BESPONSA.....	<i>buprenorphine-naloxone</i> .....	8
<i>aurovela fe 1.5/30 (28)</i> .....	85	<i>betamethasone acet,sod phos.</i> .....	<i>bupropion hcl</i> .....	38
<i>aurovela fe 1-20 (28)</i> .....	85	<i>betamethasone dipropionate</i> .....	<i>bupropion hcl (smoking deter)</i> .....	8
AUSTEDO.....	81	<i>betamethasone valerate</i> .....	<i>buspiron</i> .....	126
AVASTIN.....	18	<i>betamethasone, augmented</i> .....	<i>butalbital-acetaminophen-caff</i> .....	3
<i>aviane</i> .....	85	BETASERON.....	<i>butalbital-aspirin-caffeine</i> .....	3
AVONEX.....	81	<i>betaxolol</i> .....	BYNFEZIA.....	112
<i>ayuna</i> .....	85	<i>bethanechol chloride</i> .....	BYSTOLIC.....	74
AYVAKIT.....	18	<i>bexarotene</i> .....	CABENUVA.....	59
<i>azacitidine</i> .....	18	BEXSERO.....	<i>cabergoline</i> .....	52
<i>azathioprine</i> .....	115	<i>bicalutamide</i> .....	CABLIVI.....	68
<i>azathioprine sodium</i> .....	115	BICILLIN L-A.....	CABOMETYX.....	19
<i>azelastine</i> .....	99	BIDIL.....	<i>caffeine citrate</i> .....	81
<i>azithromycin</i> .....	13	BIKTARVY.....	<i>calcipotriene</i> .....	93
AZOPT.....	128	<i>bisoprolol fumarate</i> .....	<i>calcitonin (salmon)</i> .....	125
<i>aztreonam</i> .....	14	<i>bisoprolol-hydrochlorothiazide</i> .....	<i>calcitriol</i> .....	125
<i>azurette (28)</i> .....	85	BLENREP.....	<i>calcium acetate (phosphat</i>	
<i>bacitracin</i> .....	100	<i>bleomycin</i> .....	<i>bind)</i> .....	106
<i>bacitracin-polymyxin b</i> .....	100	<i>bleph-10</i> .....	<i>calcium chloride</i> .....	129
<i>baclofen</i> .....	136	BLINCYTO.....	CALQUENCE.....	19
<i>balsalazide</i> .....	124	<i>blisovi 24 fe</i> .....	<i>camila</i> .....	85
BALVERSA.....	18	<i>blisovi fe 1.5/30 (28)</i> .....	CAPLYTA.....	54
<i>balziva (28)</i> .....	85	<i>blisovi fe 1/20 (28)</i> .....	CAPRELSA.....	19
BAVENCIO.....	18	BOOSTRIX TDAP.....	<i>captopril</i> .....	72
BAXDELA.....	15	BORTEZOMIB.....	CARBAGLU.....	104
BCG VACCINE, LIVE (PF) 120		BOSULIF.....	<i>carbamazepine</i> .....	32, 33
BD ULTRA-FINE NANO		BRAFTOVI.....	<i>carbidopa-levodopa</i> .....	52
PEN NEEDLE.....	96	BREO ELLIPTA.....	<i>carbidopa-levodopa-</i>	
BD VEO INSULIN SYR		BREZTRI AEROSPHERE..	<i>entacapone</i> .....	52
(HALF UNIT).....	97	<i>brillevyn</i> .....	<i>carteolol</i> .....	128

<i>cartia xt</i> .....	75	<i>cholestyramine light</i> .....	79	CLINIMIX E 5%/D20W	
<i>carvedilol</i> .....	74	<i>ciclopirox</i> .....	45	SULFIT FREE.....	70
<i>caspofungin</i> .....	45	<i>cilostazol</i> .....	68	CLINIMIX E 8%-D10W	
CAYSTON.....	14	CIMDUO.....	59	SULFITEFREE.....	70
<i>caziant (28)</i> .....	85	<i>cimetidine hcl</i> .....	103	CLINIMIX E 8%-D14W	
<i>cefaclor</i> .....	11	<i>cinacalcet</i> .....	125	SULFITEFREE.....	70
<i>cefadroxil</i> .....	12	CINQAIR.....	134	<i>clobazam</i> .....	33
<i>cefazolin</i> .....	12	CINRYZE.....	66	<i>clobetasol</i> .....	94
<i>cefdinir</i> .....	12	<i>ciprofloxacin</i> .....	16	<i>clobetasol-emollient</i> .....	95
<i>cefepime</i> .....	12	<i>ciprofloxacin hcl</i> .....	15, 16, 100	<i>clofarabine</i> .....	19
<i>cefixime</i> .....	12	<i>ciprofloxacin in 5 % dextrose</i> ..	16	<i>clomipramine</i> .....	38
<i>cefotaxime</i> .....	12	<i>ciprofloxacin-dexamethasone</i> .	100	<i>clonazepam</i> .....	9
<i>cefoxitin</i> .....	12	<i>citalopram</i> .....	38	<i>clonidine</i> .....	71
<i>cefoxitin in dextrose, iso-osm</i> ...	12	<i>clarithromycin</i> .....	13	<i>clonidine hcl</i> .....	71
<i>cefpodoxime</i> .....	12	CLENPIQ.....	106	<i>clopidogrel</i> .....	68
<i>cefprozil</i> .....	12	<i>clindamycin hcl</i> .....	10	<i>clorazepate dipotassium</i> .....	9
<i>ceftazidime</i> .....	12	<i>clindamycin in 5 % dextrose</i> .....	10	<i>clotrimazole</i> .....	45
<i>ceftriaxone</i> .....	12	<i>clindamycin phosphate</i> ..	10, 47, 93	<i>clotrimazole-betamethasone</i> .....	45
<i>cefuroxime axetil</i> .....	12	CLINIMIX 5%/D15W		<i>clovique</i> .....	107
<i>cefuroxime sodium</i> .....	13	SULFITE FREE.....	69	<i>clozapine</i> .....	54
<i>celecoxib</i> .....	5	CLINIMIX 4.25%/D10W		COARTEM.....	51
CELONTIN.....	33	SULF FREE.....	69	<i>codeine sulfate</i> .....	3
<i>cephalexin</i> .....	13	CLINIMIX 4.25%/D5W		<i>colchicine</i> .....	46
CERDELGA.....	97	SULFIT FREE.....	69	<i>colesevelam</i> .....	79
CEREZYME.....	97	CLINIMIX 5%-		<i>colestipol</i> .....	79
CHANTIX.....	8	D20W(SULFITE-FREE).....	69	<i>colistin (colistimethate na)</i> .....	10
CHANTIX CONTINUING		CLINIMIX 6%-D5W		COMBIGAN.....	128
MONTH BOX.....	8	(SULFITE-FREE).....	69	COMBIVENT RESPIMAT..	133
CHANTIX STARTING		CLINIMIX 8%-		COMETRIQ.....	19
MONTH BOX.....	8	D10W(SULFITE-FREE).....	69	COMPLERA.....	59
<i>chateal eq (28)</i> .....	85	CLINIMIX 8%-		<i>compro</i> .....	49
<i>chloramphenicol sod succinate</i> ..	10	D14W(SULFITE-FREE).....	69	<i>constulose</i> .....	104
<i>chlordiazepoxide hcl</i> .....	9	CLINIMIX E 2.75%/D5W		COPAXONE.....	81
<i>chlorhexidine gluconate</i> .....	92	SULF FREE.....	69	COPIKTRA.....	19
<i>chloroquine phosphate</i> .....	51	CLINIMIX E 4.25%/D10W		CORLANOR.....	76
<i>chlorothiazide sodium</i> .....	78	SUL FREE.....	69	COSENTYX.....	115
<i>chlorpromazine</i> .....	54	CLINIMIX E 4.25%/D5W		COSENTYX (2 SYRINGES)	
<i>chlorthalidone</i> .....	78	SULF FREE.....	69	.....	115
<i>chlorzoxazone</i> .....	136	CLINIMIX E 5%/D15W		COSENTYX PEN (2 PENS)	115
<i>cholestyramine (with sugar)</i> .....	79	SULFIT FREE.....	70	COTELLIC.....	19

CREON.....	98	DELSTRIGO.....	59	<i>diphenhydramine hcl</i> .....	47
CRIXIVAN.....	59	<i>denta 5000 plus</i> .....	92	<i>diphenoxylate-atropine</i> .....	105
<i>cromolyn</i> .....	99, 104, 135	<i>dentagel</i> .....	92	<i>dipyridamole</i> .....	68
<i>cryselle (28)</i> .....	85	DESCOVY.....	59	<i>disopyramide phosphate</i> .....	73
<i>cyclafem 1/35 (28)</i> .....	85	<i>desipramine</i> .....	38	<i>disulfiram</i> .....	8
<i>cyclafem 7/7/7 (28)</i> .....	85	<i>desmopressin</i> .....	112	<i>divalproex</i> .....	33
<i>cyclobenzaprine</i> .....	136	<i>desog-e.estradiolle.estradiol</i> ....	86	<i>dofetilide</i> .....	73
<i>cyclopentolate</i> .....	99	<i>desogestrel-ethinyl estradiol</i> ....	86	<i>donepezil</i> .....	37
<i>cyclophosphamide</i> .....	19, 20	<i>desoximetasone</i> .....	95	DOPTELET (10 TAB PACK)	66
CYCLOPHOSPHAMIDE.....	20	<i>desvenlafaxine succinate</i> .....	38	DOPTELET (15 TAB PACK)	66
<i>cyclosporine</i> .....	115	<i>dexamethasone</i> .....	110, 111	DOPTELET (30 TAB PACK)	66
<i>cyclosporine modified</i> .....	115	<i>dexamethasone sodium phos</i>		<i>dorzolamide</i> .....	128
<i>cyproheptadine</i> .....	47	<i>(pf)</i> .....	111	<i>dorzolamide-timolol</i> .....	128
CYRAMZA.....	20	<i>dexamethasone sodium</i>		<i>dotti</i> .....	109
<i>cyred eq</i> .....	86	<i>phosphate</i> .....	102, 111	DOVATO.....	59
CYSTADANE.....	126	<i>dexmethylphenidate</i> .....	81	<i>doxazosin</i> .....	71
CYSTARAN.....	100	<i>dextroamphetamine</i> .....	81, 82	<i>doxepin</i> .....	38
<i>d5 % and 0.9 % sodium</i>		<i>dextroamphetamine-</i>		<i>doxorubicin</i> .....	20
<i>chloride</i> .....	129	<i>amphetamine</i> .....	82	<i>doxorubicin, peg-liposomal</i> ....	20
<i>d5 %-0.45 % sodium chloride</i> ..	129	<i>dextrose 10 % in water (d10w)</i> ..	70	<i>doxy-100</i> .....	16
<i>dalfampridine</i> .....	81	<i>dextrose 5 % in water (d5w)</i> ....	70	<i>doxycycline hyclate</i> .....	16
DALIRESP.....	135	DIACOMIT.....	33	<i>doxycycline monohydrate</i> ... 16, 17	
<i>danazol</i> .....	108	<i>diazepam</i> .....	9, 33	DRIZALMA SPRINKLE.....	38
<i>dantrolene</i> .....	136	<i>diazoxide</i> .....	126	<i>dronabinol</i> .....	49
DANYELZA.....	20	<i>diclofenac epolamine</i> .....	5	<i>droperidol</i> .....	50
<i>dapsone</i> .....	48	<i>diclofenac potassium</i> .....	5	<i>drospirenone-ethinyl estradiol</i> ..	86
DAPTACEL (DTAP		<i>diclofenac sodium</i> .....	5, 6, 102	DROXIA.....	68
PEDIATRIC) (PF).....	120	<i>dicloxacillin</i> .....	15	<i>droxidopa</i> .....	71
<i>daptomycin</i> .....	10	<i>dicyclomine</i> .....	104, 105	DUAVEE.....	109
DARZALEX.....	20	<i>didanosine</i> .....	59	<i>duloxetine</i> .....	38
DARZALEX FASPRO.....	20	DIFICID.....	13	DUREZOL.....	102
<i>dasetta 1/35 (28)</i> .....	86	<i>digitek</i> .....	76	<i>dutasteride</i> .....	107
<i>dasetta 7/7/7 (28)</i> .....	86	<i>digox</i> .....	76	<i>econazole</i> .....	45
DAURISMO.....	20	<i>digoxin</i> .....	76	EDARBI.....	71
<i>daysee</i> .....	86	<i>dihydroergotamine</i> .....	47	EDARBYCLOR.....	71
<i>deblitane</i> .....	86	<i>diltiazem hcl</i> .....	75, 76	EDURANT.....	59
<i>decitabine</i> .....	20	<i>dilt-xr</i> .....	76	<i>efavirenz</i> .....	59
<i>deferasirox</i> .....	108	<i>dimenhydrinate</i> .....	49	<i>efavirenz-emtricitabin-tenofov</i> ..	59
<i>deferiprone</i> .....	108	<i>dimethyl fumarate</i> .....	82		
<i>deferoxamine</i> .....	108	DIPENTUM.....	124		



<i>efavirenz-lamivudine-tenofovir disoproxil fumarate</i> .....	59, 60	<i>enoxaparin</i> .....	65	ETOPOPHOS.....	21
EGRIFTA.....	112	<i>enpresse</i> .....	86	<i>etoposide</i> .....	21
EGRIFTA SV.....	112	<i>enskyce</i> .....	86	<i>etravirine</i> .....	60
ELAPRASE.....	98	<i>entacapone</i> .....	52	EUCRISA.....	95
ELIGARD.....	20	<i>entecavir</i> .....	64	EVENITY.....	125
ELIGARD (3 MONTH).....	20	ENTRESTO.....	71	<i>everolimus (antineoplastic)</i> .....	21
ELIGARD (4 MONTH).....	20	<i>enulose</i> .....	105	<i>everolimus (immunosuppressive)</i> .....	116
ELIGARD (6 MONTH).....	20	EPCLUSA.....	63	EVOTAZ.....	60
<i>elinest</i> .....	86	EPIDIOLEX.....	33	EVRYSDI.....	126
ELIQUIS.....	65	<i>epinastine</i> .....	100	<i>exemestane</i> .....	21
ELIQUIS DVT-PE TREAT		<i>epinephrine</i> .....	76, 77	EXONDYS-51.....	126
30D START.....	65	<i>epitol</i> .....	33	EYSUVIS.....	102
ELITEK.....	98	EPIVIR HBV.....	60	<i>ezetimibe</i> .....	79
ELLA.....	86	<i>eplerenone</i> .....	80	FABRAZYME.....	98
ELMIRON.....	126	<i>epoprostenol (glycine)</i> .....	137	<i>falmina (28)</i> .....	86
<i>eluryng</i> .....	86	ERBITUX.....	21	<i>famciclovir</i> .....	64
EMCYT.....	20	<i>ergoloid</i> .....	37	<i>famotidine</i> .....	104
EMEND.....	50	ERIVEDGE.....	21	<i>famotidine (pf)</i> .....	104
EMFLAZA.....	111	ERLEADA.....	21	<i>famotidine (pf)-nacl (iso-os)</i>	104
EMGALITY PEN.....	48	<i>erlotinib</i> .....	21	FANAPT.....	54, 55
EMGALITY SYRINGE.....	48	<i>errin</i> .....	86	FARXIGA.....	41
<i>emoquette</i> .....	86	<i>ertapenem</i> .....	14	FARYDAK.....	21
EMPLICITI.....	20	<i>ery pads</i> .....	93	FASENRA.....	135
EMSAM.....	38	<i>erythromycin</i> .....	13, 100	FASENRA PEN.....	135
<i>emtricitabine</i> .....	60	<i>erythromycin ethylsuccinate</i> .....	13	<i>febuxostat</i> .....	46
<i>emtricitabine-tenofovir (tdf)</i> .....	60	<i>erythromycin with ethanol</i> .....	93	<i>felbamate</i> .....	33, 34
EMTRIVA.....	60	ESBRIET.....	135	FEMRING.....	110
<i>enalapril maleate</i> .....	72	<i>escitalopram oxalate</i> .....	39	<i>femynor</i> .....	86
<i>enalaprilat</i> .....	72	<i>esomeprazole magnesium</i> .....	103	<i>fenofibrate</i> .....	79
<i>enalapril-hydrochlorothiazide</i> .....	72	<i>esomeprazole sodium</i> .....	103, 104	<i>fenofibrate micronized</i> .....	79
ENBREL.....	115, 116	<i>estarylla</i> .....	86	<i>fenofibrate nanocrystallized</i> .....	79
ENBREL MINI.....	115	<i>estradiol</i> .....	109	<i>fentanyl</i> .....	3
ENBREL SURECLICK.....	116	<i>estradiol valerate</i> .....	110	<i>fentanyl citrate</i> .....	3
ENDARI.....	126	<i>estradiol-norethindrone acet</i> .....	110	FERRIPROX.....	108
<i>endocet</i> .....	3	<i>eszopiclone</i> .....	137	FERRIPROX (2 TIMES A	
ENGERIX-B (PF).....	120	<i>ethambutol</i> .....	48, 49	DAY).....	108
ENGERIX-B PEDIATRIC		<i>ethosuximide</i> .....	33	FETZIMA.....	39
(PF).....	120	<i>ethynodiol diac-eth estradiol</i> .....	86	FIASP FLEXTOUCH U-100	
ENHERTU.....	21	<i>etodolac</i> .....	6	INSULIN.....	42
		<i>etonogestrel-ethinyl estradiol</i> .....	86		

FIASP PENFILL U-100	<i>furosemide</i> .....	78	<i>glyburide</i> .....	45
INSULIN.....	FUZEON.....	60	<i>glyburide micronized</i> .....	44
FIASP U-100 INSULIN.....	<i>fyavolv</i> .....	110	<i>glyburide-metformin</i> .....	45
<i>finasteride</i> .....	FYCOMPA.....	34	<i>glycopyrrolate</i> .....	105
FINTEPLA.....	<i>gabapentin</i> .....	34	<i>glydo</i> .....	7
FIRVANQ.....	GALAFOLD.....	98	<i>granisetron (pf)</i> .....	50
FLEBOGAMMA DIF.....	<i>galantamine</i> .....	37	<i>granisetron hcl</i> .....	50
<i>flecainide</i> .....	GAMIFANT.....	116	<i>griseofulvin microsize</i> .....	45
FLOVENT DISKUS.....	GAMMAGARD LIQUID... 116		<i>guanfacine</i> .....	71, 82
FLOVENT HFA.....	GAMMAGARD S-D (IGA <		GVOKE HYPOPEN 2-	
<i>floxuridine</i> .....	1 MCG/ML).....	116	PACK.....	127
<i>fluconazole</i> .....	GAMMAPLEX.....	116	GVOKE PFS 1-PACK	
<i>fluconazole in nacl (iso-osm)</i> ... 45	GAMMAPLEX (WITH		SYRINGE.....	127
<i>flucytosine</i> .....	SORBITOL).....	116	HAEGARDA.....	66
<i>fludrocortisone</i> .....	<i>ganciclovir sodium</i> .....	64	<i>hailey</i> .....	87
<i>flumazenil</i> .....	GARDASIL 9 (PF).....	120	<i>hailey 24 fe</i> .....	86
<i>flunisolide</i> .....	GATTEX 30-VIAL.....	105	<i>hailey fe 1.5/30 (28)</i> .....	86
<i>fluocinolone</i> .....	GAUZE PADS &		<i>hailey fe 1/20 (28)</i> .....	87
<i>fluocinonide</i> .....	DRESSINGS - PADS 2 X 2...97		<i>halobetasol propionate</i> .....	95
<i>fluocinonide-e</i> .....	<i>gavilyte-c</i> .....	106	<i>haloperidol</i> .....	55
<i>fluorometholone</i> .....	<i>gavilyte-g</i> .....	106	<i>haloperidol decanoate</i> .....	55
<i>fluorouracil</i> .....	<i>gavilyte-n</i> .....	106	<i>haloperidol lactate</i> .....	55
<i>fluoxetine</i> .....	GAVRETO.....	21	HARVONI.....	63, 64
<i>fluphenazine decanoate</i> .....	GAZYVA.....	21	HAVRIX (PF).....	120, 121
<i>fluphenazine hcl</i> .....	<i>gemfibrozil</i> .....	79	<i>heather</i> .....	87
<i>flurbiprofen</i> .....	<i>generlac</i> .....	105	<i>heparin (porcine)</i> .....	65, 66
<i>flurbiprofen sodium</i> .....	<i>gengraf</i> .....	116	<i>heparin, porcine (pf)</i> .....	66
<i>flutamide</i> .....	<i>gentak</i> .....	100	HEPATAMINE 8%.....	70
<i>fluticasone propionate</i> .....	<i>gentamicin</i> .....	10, 93, 100	HERCEPTIN.....	22
<i>fluvoxamine</i> .....	<i>gentamicin sulfate (ped) (pf)</i> ...10		HERCEPTIN HYLECTA.....	22
<i>fomepizole</i> .....	<i>gentamicin sulfate (pf)</i> .....	10	HERZUMA.....	22
<i>fondaparinux</i> .....	GENVOYA.....	60	HETLIOZ.....	137
<i>fosamprenavir</i> .....	GILENYA.....	82	HETLIOZ LQ.....	137
<i>fosaprepitant</i> .....	GILOTRIF.....	21	HIBERIX (PF).....	121
<i>foscarnet</i> .....	GIVLAARI.....	68	HUMIRA.....	117
<i>fosinopril</i> .....	<i>glatiramer</i> .....	82	HUMIRA PEN.....	117
<i>fosphenytoin</i> .....	<i>glatopa</i> .....	82	HUMIRA PEN CROHNS-	
FOTIVDA.....	<i>glimepiride</i> .....	44	UC-HS START.....	116
FULPHILA.....	<i>glipizide</i> .....	44	HUMIRA PEN PSOR-	
<i>fulvestrant</i> .....	<i>glipizide-metformin</i> .....	44	UVEITS-ADOL HS.....	116

HUMIRA(CF).....	117	IMBRUVICA.....	22	ISOLYTE-S.....	129
HUMIRA(CF) PEDI		IMFINZI.....	22	<i>isoniazid</i> .....	49
CROHNS STARTER.....	117	<i>imipenem-cilastatin</i> .....	14	ISOPROPYL ALCOHOL 0.7	
HUMIRA(CF) PEN.....	117	<i>imipramine hcl</i> .....	39	ML/ML MEDICATED PAD.....	93
HUMIRA(CF) PEN		<i>imiquimod</i> .....	93	<i>isosorbide dinitrate</i> .....	80
CROHNS-UC-HS.....	117	IMLYGIC.....	22	<i>isosorbide mononitrate</i> .....	80
HUMIRA(CF) PEN		IMOVAX RABIES		<i>itraconazole</i> .....	45
PEDIATRIC UC.....	117	VACCINE (PF).....	121	<i>ivermectin</i> .....	51
HUMIRA(CF) PEN PSOR-		IMPAVIDO.....	51	IXEMPRA.....	23
UV-ADOL HS.....	117	INBRIJA.....	52	IXIARO (PF).....	121
HUMULIN R U-500		<i>incassia</i> .....	87	<i>jaimiess</i> .....	87
(CONC) INSULIN.....	43	INCRELEX.....	112	JAKAFI.....	23
HUMULIN R U-500		<i>indapamide</i> .....	78	<i>jantoven</i> .....	66
(CONC) KWIKPEN.....	43	<i>indomethacin</i> .....	6	JARDIANCE.....	41
<i>hydralazine</i> .....	77	INFANRIX (DTAP) (PF)....	121	<i>jasmiel (28)</i> .....	87
<i>hydrochlorothiazide</i> .....	78	INLYTA.....	23	JEMPERLI.....	23
<i>hydrocodone-acetaminophen</i> ...3, 4		INQOVI.....	23	<i>jencycla</i> .....	87
<i>hydrocodone-ibuprofen</i> .....	4	INREBIC.....	23	JENTADUETO.....	41
<i>hydrocortisone</i> .....	95, 111, 124	INSULIN SYRINGE-		JENTADUETO XR.....	41
<i>hydromorphone</i> .....	4	NEEDLE U-100.....	97	<i>jinteli</i> .....	110
<i>hydromorphone (pf)</i> .....	4	INTELENCE.....	60	<i>juleber</i> .....	87
<i>hydroxychloroquine</i> .....	51	INTRALIPID.....	70	JULUCA.....	60
<i>hydroxyprogesterone</i>		INTRON A.....	64	<i>junel 1.5/30 (21)</i> .....	87
<i>cap(ppres)</i> .....	114	<i>introvale</i> .....	87	<i>junel 1/20 (21)</i> .....	87
<i>hydroxyurea</i> .....	22	INVEGA SUSTENNA.....	55, 56	<i>junel fe 1.5/30 (28)</i> .....	87
<i>hydroxyzine hcl</i> .....	47	INVEGA TRINZA.....	56	<i>junel fe 1/20 (28)</i> .....	87
<i>hydroxyzine pamoate</i> .....	127	INVELTYS.....	103	<i>junel fe 24</i> .....	87
HYQVIA.....	117	INVIRASE.....	60	JUXTAPID.....	79
<i>ibandronate</i> .....	125	IPOL.....	121	JYNARQUE.....	78
IBRANCE.....	22	<i>ipratropium bromide</i> .....	100, 133	KALETRA.....	60
<i>ibu</i> .....	6	<i>ipratropium-albuterol</i> .....	133	<i>kalliga</i> .....	87
<i>ibuprofen</i> .....	6	<i>irbesartan</i> .....	71	KALYDECO.....	135
<i>icatibant</i> .....	77	<i>irbesartan-hydrochlorothiazide</i> .....	72	KANJINTI.....	23
<i>iclevia</i> .....	87	IRESSA.....	23	KANUMA.....	98
ICLUSIG.....	22	ISENTRESS.....	60	<i>kariva (28)</i> .....	87
IDHIFA.....	22	ISENTRESS HD.....	60	<i>kelnor 1/35 (28)</i> .....	87
<i>ifosfamide</i> .....	22	<i>isibloom</i> .....	87	<i>kelnor 1-50 (28)</i> .....	87
ILARIS (PF).....	117	ISOLYTE S PH 7.4.....	129	KESIMPTA PEN.....	82
ILEVRO.....	103	ISOLYTE-P IN 5%		<i>ketoconazole</i> .....	46
<i>imatinib</i> .....	22	DEXTROSE.....	129	<i>ketorolac</i> .....	6, 103

KEVEYIS.....	127	LENVIMA.....	24	<i>loperamide</i> .....	105
KEYTRUDA.....	23	<i>lessina</i> .....	88	<i>lopinavir-ritonavir</i> .....	61
KINRIX (PF).....	121	<i>letrozole</i> .....	24	<i>lorazepam</i> .....	9
<i>kionex (with sorbitol)</i> .....	105	<i>leucovorin calcium</i> .....	127	LORBRENA.....	24
KISQALI.....	23	LEUKERAN.....	24	<i>loryna (28)</i> .....	88
KISQALI FEMARA CO- PACK.....	23	LEUKINE.....	66	<i>losartan</i> .....	72
<i>klor-con m10</i> .....	129	<i>leuprolide</i> .....	24	<i>losartan-hydrochlorothiazide</i> ....	72
<i>klor-con m15</i> .....	130	<i>levetiracetam</i> .....	34	LOTEMAX.....	103
<i>klor-con m20</i> .....	130	<i>levobunolol</i> .....	129	LOTEMAX SM.....	103
KLOXXADO.....	8	<i>levocarnitine</i> .....	127	<i>loteprednol etabonate</i> .....	103
KORLYM.....	41	<i>levocarnitine (with sugar)</i> .....	127	<i>lovastatin</i> .....	79
KOSELUGO.....	23	<i>levocetirizine</i> .....	47	<i>low-ogestrel (28)</i> .....	88
KRINTAFEL.....	51	<i>levofloxacin</i> .....	16, 100	<i>loxapine succinate</i> .....	56
KRYSTEXXA.....	98	<i>levofloxacin in d5w</i> .....	16	<i>lo-zumandimine (28)</i> .....	88
<i>kurvelo (28)</i> .....	87	<i>levoleucovorin calcium</i> .....	127	<i>lubiprostone</i> .....	105
KYNMOBI.....	52	<i>levonest (28)</i> .....	88	LUCEMYRA.....	8
KYPROLIS.....	24	<i>levonorgestrel-ethinyl estrad</i> ....	88	LUMAKRAS.....	24
<i>l norgestle.estradiol-e.estrad</i> .....	87, 88	<i>levonorg-eth estrad triphasic</i> ....	88	LUMIGAN.....	129
<i>labetalol</i> .....	74	<i>levora-28</i> .....	88	LUMOXITI.....	24
<i>lactulose</i> .....	105	<i>levothyroxine</i> .....	114	LUPRON DEPOT.....	112
<i>lamivudine</i> .....	61	LEXIVA.....	61	LUPRON DEPOT (3 MONTH).....	24, 112
<i>lamivudine-zidovudine</i> .....	61	LIBTAYO.....	24	LUPRON DEPOT (4 MONTH).....	24
<i>lamotrigine</i> .....	34	<i>lidocaine</i> .....	7	LUPRON DEPOT (6 MONTH).....	24
<i>lansoprazole</i> .....	104	<i>lidocaine (pf)</i> .....	7, 73	LUPRON DEPOT-PED.....	113
LANTUS SOLOSTAR U-100 INSULIN.....	43	<i>lidocaine hcl</i> .....	7	LUPRON DEPOT-PED (3 MONTH).....	112
LANTUS U-100 INSULIN....	43	<i>lidocaine viscous</i> .....	7	<i>lutera (28)</i> .....	88
<i>lapatinib</i> .....	24	<i>lidocaine-prilocaine</i> .....	7	<i>lyleq</i> .....	88
<i>larin 1.5/30 (21)</i> .....	88	<i>lillow (28)</i> .....	88	<i>lyllana</i> .....	110
<i>larin 1/20 (21)</i> .....	88	<i>linezolid</i> .....	11	LYNPARZA.....	25
<i>larin 24 fe</i> .....	88	<i>linezolid in dextrose 5%</i> .....	11	LYSODREN.....	25
<i>larin fe 1.5/30 (28)</i> .....	88	<i>linezolid-0.9% sodium chloride</i> . 11		<i>lyza</i> .....	89
<i>larin fe 1/20 (28)</i> .....	88	LINZESS.....	105	<i>magnesium sulfate</i> .....	130
<i>larissia</i> .....	88	<i>liothyronine</i> .....	115	<i>magnesium sulfate in d5w</i> .....	130
<i>latanoprost</i> .....	128	<i>lisinopril</i> .....	73	<i>magnesium sulfate in water</i> ....	130
LATUDA.....	56	<i>lisinopril-hydrochlorothiazide</i> ... 73		<i>malathion</i> .....	96
LAZANDA.....	4	<i>lithium carbonate</i> .....	82, 83	<i>maprotiline</i> .....	39
<i>leflunomide</i> .....	117	LIVALO.....	79		
		<i>lojaimiess</i> .....	88		
		LOKELMA.....	105		
		LONSURF.....	24		

<i>marlissa</i> (28).....	89	MESNEX.....	127	<i>mitoxantrone</i> .....	25
MARPLAN.....	39	<i>metaproterenol</i> .....	134	M-M-R II (PF).....	122
MATULANE.....	25	<i>metformin</i> .....	41	<i>molindone</i> .....	56
MAVENCLAD (10 TABLET PACK).....	83	<i>methadone</i> .....	4	<i>mometasone</i> .....	95, 103
MAVENCLAD (4 TABLET PACK).....	83	<i>methadose</i> .....	4	<i>mondoxyne nl</i> .....	17
MAVENCLAD (5 TABLET PACK).....	83	<i>methenamine hippurate</i> .....	11	MONJUVI.....	25
MAVENCLAD (6 TABLET PACK).....	83	<i>methimazole</i> .....	115	<i>mono-lynyah</i> .....	89
MAVENCLAD (7 TABLET PACK).....	83	<i>methocarbamol</i> .....	136	<i>montelukast</i> .....	132
MAVENCLAD (8 TABLET PACK).....	83	<i>methotrexate sodium</i> .....	25	<i>morphine</i> .....	4
MAVENCLAD (9 TABLET PACK).....	83	<i>methotrexate sodium (pf)</i> .....	25	MORPHINE.....	4
MAYZENT.....	83	<i>methoxsalen</i> .....	93	<i>morphine concentrate</i> .....	4
MAYZENT STARTER PACK.....	83	<i>methscopolamine</i> .....	105	MOVANTIK.....	105
<i>meclizine</i> .....	50	<i>methyl dopa</i> .....	71	<i>moxifloxacin</i> .....	16, 100
<i>medroxyprogesterone</i> .....	114	<i>methylphenidate hcl</i> .....	83	MOZOBIL.....	67
<i>mefenamic acid</i> .....	6	<i>methylprednisolone</i> .....	111	MULPLETA.....	67
<i>mefloquine</i> .....	51	<i>methylprednisolone acetate</i> .....	111	MULTAQ.....	73
<i>megestrol</i> .....	25, 114	<i>methylprednisolone sodium succ</i> .....	111	<i>mupirocin</i> .....	94
MEKINIST.....	25	<i>metipranolol</i> .....	129	MVASI.....	25
MEKTOVI.....	25	<i>metoclopramide hcl</i> .....	105	<i>mycophenolate mofetil</i> ....	117, 118
<i>meloxicam</i> .....	6	<i>metolazone</i> .....	78	<i>mycophenolate mofetil (hcl)</i> ...	117
<i>memantine</i> .....	37	<i>metoprolol succinate</i> .....	74	MYLOTARG.....	25
MENACTRA (PF).....	121	<i>metoprolol ta-hydrochlorothiaz</i>	74	MYRBETRIQ.....	107
MENQUADFI (PF).....	121	<i>metoprolol tartrate</i> .....	75	<i>nabumetone</i> .....	6
MENVEO A-C-Y-W-135- DIP (PF).....	121	<i>metronidazole</i> .....	11, 47, 93, 94	<i>nafacillin</i> .....	15
MEPSEVII.....	98	<i>metronidazole in nacl (iso-os)</i> ..	11	<i>nafacillin in dextrose iso-osm</i> ....	15
<i>mercaptopurine</i> .....	25	<i>metryrosine</i> .....	77	NAGLAZYME.....	98
<i>meropenem</i> .....	14	<i>mexiletine</i> .....	73	<i>naloxone</i> .....	8
<i>meropenem-0.9% sodium chloride</i> .....	14	<i>miconazole-3</i> .....	46	<i>naltrexone</i> .....	8
<i>mesalamine</i> .....	124	<i>microgestin fe 1/20 (28)</i> .....	89	NAMZARIC.....	37
<i>mesna</i> .....	127	<i>midodrine</i> .....	71	<i>naproxen</i> .....	6
		<i>miglustat</i> .....	98	NARCAN.....	8
		<i>mili</i> .....	89	NATACYN.....	101
		<i>mimvey</i> .....	110	NATPARA.....	125
		<i>minitran</i> .....	80	NAYZILAM.....	34
		<i>minocycline</i> .....	17	<i>necon 0.5/35 (28)</i> .....	89
		<i>minoxidil</i> .....	80	<i>nefazodone</i> .....	39
		<i>mirtazapine</i> .....	39	<i>neomycin</i> .....	10
		<i>misoprostol</i> .....	104	<i>neomycin-bacitracin-poly-hc</i> ...	101
		MITIGARE.....	46	<i>neomycin-bacitracin- polymyxin</i> .....	101

<i>neomycin-polymyxin b gu</i> .....	94	<i>norlyda</i> .....	89	NYVEPRIA.....	67
<i>neomycin-polymyxin b-dexameth</i> .....	101	NORMOSOL-M IN 5 %		OICALIVA.....	105
<i>neomycin-polymyxin-gramacidin</i> .....	101	DEXTROSE.....	130	OCTAGAM.....	118
<i>neomycin-polymyxin-hc</i> .....	101	<i>nortrel 0.5/35 (28)</i> .....	89	<i>octreotide acetate</i> .....	113
<i>neo-polycin</i> .....	101	<i>nortrel 1/35 (21)</i> .....	89	ODEFSEY.....	61
<i>neo-polycin hc</i> .....	101	<i>nortrel 1/35 (28)</i> .....	89	ODOMZO.....	26
NEPHRAMINE 5.4 %.....	70	<i>nortrel 7/7/7 (28)</i> .....	90	OFEV.....	135
NERLYNX.....	25	<i>nortriptyline</i> .....	39	<i>ofloxacin</i> .....	101
NEULASTA.....	67	NORVIR.....	61	OGIVRI.....	26
NEUPRO.....	53	NOVOLIN 70/30 U-100		<i>olanzapine</i> .....	56
<i>nevirapine</i> .....	61	INSULIN.....	43	<i>olmesartan</i> .....	72
NEXAVAR.....	25	NOVOLIN 70-30 FLEXPEN		<i>olmesartan-hydrochlorothiazide</i> .....	72
NEXLETOL.....	79	U-100.....	43	<i>olopatadine</i> .....	100
NEXLIZET.....	79	NOVOLIN N FLEXPEN.....	43	<i>omega-3 acid ethyl esters</i> .....	80
<i>niacin</i> .....	79, 80	NOVOLIN N NPH U-100		<i>omeprazole</i> .....	104
<i>nicardipine</i> .....	77	INSULIN.....	43	<i>omeprazole-sodium bicarbonate</i> .....	104
NICOTROL.....	8	NOVOLIN R FLEXPEN.....	43	ONCASPAR.....	26
<i>nifedipine</i> .....	77	NOVOLIN R REGULAR U-100		<i>ondansetron</i> .....	50
<i>nikki (28)</i> .....	89	100 INSULIN.....	43	<i>ondansetron hcl</i> .....	50
<i>nilutamide</i> .....	25	NOVOLOG FLEXPEN U-100		<i>ondansetron hcl (pf)</i> .....	50
NINLARO.....	25	100 INSULIN.....	43	ONIVYDE.....	26
<i>nitazoxanide</i> .....	51	NOVOLOG MIX 70-30 U-100		ONTRUZANT.....	26
<i>nitisone</i> .....	98	30FLEXPEN U-100.....	44	ONUREG.....	26
<i>nitrofurantoin macrocrystal</i> .....	11	NOVOLOG MIX 70-30FLEXPEN U-100		OPDIVO.....	26
<i>nitrofurantoin monohydrm-cryst</i> .....	11	NOVOLOG PENFILL U-100		OPSUMIT.....	137
<i>nitroglycerin</i> .....	81	INSULIN.....	44	<i>oralone</i> .....	92
NITYR.....	98	NOVOLOG U-100 INSULIN		ORFADIN.....	98
NIVESTYM.....	67	ASPART.....	44	ORGOVYX.....	113
<i>nizatidine</i> .....	104	NOXAFIL.....	46	ORLISSA.....	113
NORDITROPIN FLEXPRO.....	113	NUBEQA.....	26	ORKAMBI.....	135
<i>norethindrone (contraceptive)</i> ..	89	NUCALA.....	135	ORLADEYO.....	67
<i>norethindrone acetate</i> .....	114	NULOJIX.....	118	<i>orsythia</i> .....	90
<i>norethindrone ac-eth estradiol</i> .....	89, 110	NUPLAZID.....	56	<i>oseltamivir</i> .....	63
<i>norethindrone-e.estradiol-iron</i> ..	89	NUTRILIPID.....	70	OSMOLEX ER.....	53
<i>norgestimate-ethinyl estradiol</i> ..	89	<i>nyamyc</i> .....	46	<i>oxandrolone</i> .....	108
		<i>nylia 7/7/7 (28)</i> .....	90	<i>oxcarbazepine</i> .....	34
		<i>nymyo</i> .....	90	OXLUMO.....	127
		<i>nystatin</i> .....	46	OXTELLAR XR.....	35
		<i>nystop</i> .....	46		

<i>oxybutynin chloride</i> .....	107	<i>phenobarbital</i> .....	35	<i>prednisolone acetate</i> .....	103
<i>oxycodone</i> .....	4, 5	<i>phenylephrine hcl</i> .....	71	<i>prednisolone sodium phosphate</i> .....	103, 111, 112
<i>oxycodone-acetaminophen</i> .....	5	<i>phenytoin</i> .....	35	<i>prednisone</i> .....	112
<i>oxycodone-aspirin</i> .....	5	<i>phenytoin sodium</i> .....	35	<i>pregabalin</i> .....	35
OXYCONTIN.....	5	<i>phenytoin sodium extended</i> .....	35	PREMARIN.....	110
OZEMPIC.....	41	PHESGO.....	26	PREMPHASE.....	110
<i>pacerone</i> .....	73	<i>philith</i> .....	90	PREMPRO.....	110
PADCEV.....	26	PHOSLYRA.....	106	PRETOMANID.....	49
<i>paliperidone</i> .....	56, 57	PIFELTRO.....	61	<i>prevalite</i> .....	80
PALYNZIQ.....	98	<i>pilocarpine hcl</i> .....	92, 129	<i>previfem</i> .....	90
PANRETIN.....	93	<i>pimecrolimus</i> .....	95	PREVYMIS.....	63
<i>pantoprazole</i> .....	104	<i>pimozide</i> .....	57	PREZCOBIX.....	61
<i>paricalcitol</i> .....	125	<i>pimtrea (28)</i> .....	90	PREZISTA.....	61
<i>paroex oral rinse</i> .....	92	<i>pioglitazone</i> .....	41	PRIFTIN.....	49
<i>paromomycin</i> .....	51	<i>piperacillin-tazobactam</i> .....	15	PRIMAQUINE.....	51
<i>paroxetine hcl</i> .....	39	PIQRAY.....	26	<i>primidone</i> .....	35
PAXIL.....	40	<i>pirmella</i> .....	90	PRIVIGEN.....	118
PEDIARIX (PF).....	122	PLASMA-LYTE 148.....	130	<i>probenecid</i> .....	47
PEDVAX HIB (PF).....	122	PLASMA-LYTE A.....	130	<i>probenecid-colchicine</i> .....	47
PEGASYS.....	64	PLEGRIDY.....	84	<i>procainamide</i> .....	74
PEGINTRON.....	64	<i>podofilox</i> .....	93	PROCALAMINE 3%.....	70
PEMAZYRE.....	26	POLIVY.....	26	<i>prochlorperazine</i> .....	50
PEN NEEDLE, DIABETIC...97		<i>polycin</i> .....	101	<i>prochlorperazine edisylate</i> .....	50
<i>penicillamine</i> .....	108	<i>polymyxin b sulfate</i> .....	11	<i>prochlorperazine maleate</i> .....	50
<i>penicillin g potassium</i> .....	15	<i>polymyxin b sulf-trimethoprim</i> .....	101	<i>procto-med hc</i> .....	95
<i>penicillin g procaine</i> .....	15	POMALYST.....	26	<i>proctosol hc</i> .....	95
<i>penicillin v potassium</i> .....	15	<i>portia 28</i> .....	90	<i>proctozone-hc</i> .....	96
PENNSAID.....	7	PORTRAZZA.....	27	<i>progesterone</i> .....	114
PENTACEL (PF).....	122	<i>posaconazole</i> .....	46	<i>progesterone micronized</i> .....	114
<i>pentamidine</i> .....	51	<i>potassium chloride</i> .....	130, 131	PROGRAF.....	118
<i>pentoxifylline</i> .....	68	<i>potassium chloride-0.45 % nacl</i> .....	131	PROLASTIN-C.....	135
PEPAXTO.....	26	<i>potassium citrate</i> .....	131	PROLENSA.....	103
<i>perindopril erbumine</i> .....	73	PRALUENT PEN.....	80	PROLEUKIN.....	27
<i>periogard</i> .....	92	<i>pramipexole</i> .....	53	PROLIA.....	125
<i>permethrin</i> .....	96	<i>prasugrel</i> .....	68	PROMACTA.....	67
<i>perphenazine</i> .....	57	<i>pravastatin</i> .....	80	<i>promethazine</i> .....	47, 50
<i>perphenazine-amitriptyline</i> .....	40	<i>prazosin</i> .....	71	<i>promethegan</i> .....	51
PERSERIS.....	57	<i>prednicarbate</i> .....	95	<i>propafenone</i> .....	74
<i>pfizerpen-g</i> .....	15	<i>prednisolone</i> .....	111	<i>proparacaine</i> .....	100
<i>phenelzine</i> .....	40				

<i>propranolol</i> .....	75	<i>revonto</i> .....	136	SAVELLA.....	84
<i>propranolol-hydrochlorothiazid</i>	75	REXULTI.....	57	<i>scopolamine base</i> .....	51
<i>propylthiouracil</i> .....	115	REYATAZ.....	62	SECUADO.....	58
PROQUAD (PF).....	122	RHOPRESSA.....	129	<i>selegiline hcl</i> .....	53
PROSOL 20 %.....	70	RIABNI.....	27	<i>selenium sulfide</i> .....	94
<i>protamine</i> .....	68	<i>ribavirin</i> .....	64, 65	SELZENTRY.....	62
<i>protriptyline</i> .....	40	RIDAURA.....	118	SEREVENT DISKUS.....	134
PULMOZYME.....	98	<i>rifabutin</i> .....	49	SEROSTIM.....	113
PURIXAN.....	27	<i>rifampin</i> .....	49	<i>sertraline</i> .....	40
<i>pyrazinamide</i> .....	49	<i>riluzole</i> .....	84	<i>setlakin</i> .....	90
<i>pyridostigmine bromide</i> .....	127	<i>rimantadine</i> .....	63	<i>sevelamer carbonate</i> .....	106
<i>pyrimethamine</i> .....	51	RINVOQ.....	118	<i>sevelamer hcl</i> .....	106
QINLOCK.....	27	<i>risedronate</i> .....	126	<i>sf 5000 plus</i> .....	92
QUADRACEL (PF).....	122	RISPERDAL CONSTA.....	57	<i>sharobel</i> .....	90
<i>quetiapine</i> .....	57	<i>risperidone</i> .....	57	SHINGRIX (PF).....	123
<i>quinapril</i> .....	73	<i>ritonavir</i> .....	62	SIGNIFOR.....	113
<i>quinapril-hydrochlorothiazide</i> ...	73	RITUXAN.....	27	SIKLOS.....	68
<i>quinidine sulfate</i> .....	74	RITUXAN HYCELA.....	27	<i>sildenafil (pulm.hypertension)</i>	137
<i>quinine sulfate</i> .....	51	<i>rivastigmine</i> .....	37	<i>silver sulfadiazine</i> .....	94
RABAVERT (PF).....	122	<i>rivastigmine tartrate</i> .....	37	SIMBRINZA.....	129
<i>rabeprazole</i> .....	104	<i>rizatriptan</i> .....	48	<i>simliya (28)</i> .....	90
RADICAVA.....	84	ROCKLATAN.....	129	<i>simpesse</i> .....	90
<i>raloxifene</i> .....	110	<i>ropinirole</i> .....	53	<i>simvastatin</i> .....	80
<i>ramipril</i> .....	73	<i>rosadan</i> .....	94	<i>sirolimus</i> .....	118
<i>ranolazine</i> .....	77	<i>rosuvastatin</i> .....	80	SIRTURO.....	49
<i>rasagiline</i> .....	53	ROTARIX.....	122	SKYRIZI.....	118
RASUVO (PF).....	118	ROTATEQ VACCINE.....	122	<i>sodium chloride 0.45 %</i> .....	131
RAVICTI.....	105	ROZLYTREK.....	27	<i>sodium chloride 0.9 %</i> .....	131
RAYALDEE.....	125	RUBRACA.....	27	<i>sodium fluoride</i> .....	92
<i>reclipsen (28)</i> .....	90	<i>rufinamide</i> .....	35	<i>sodium fluoride-pot nitrate</i> .....	92
RECOMBIVAX HB (PF).....	122	RUKOBIA.....	62	<i>sodium phenylbutyrate</i> .....	106
RECTIV.....	127	RUXIENCE.....	27	<i>sodium polystyrene (sorb free)</i>	
RELENZA DISKHALER.....	63	RYBELSUS.....	41	.....	106
<i>repaglinide</i> .....	41	RYBREVANT.....	27	<i>sodium polystyrene sulfonate</i> ..	106
RESTASIS.....	103	RYDAPT.....	27	SOLIQUA 100/33.....	44
RETACRIT.....	67	SANDOSTATIN LAR		SOLTAMOX.....	28
RETEVMO.....	27	DEPOT.....	113	SOLU-CORTEF ACT-O-	
RETROVIR.....	61	SANTYL.....	93	VIAL (PF).....	112
REVCOVI.....	99	<i>sapropterin</i> .....	99		
REVLIMID.....	27	SARCLISA.....	27		



SOMATULINE DEPOT	SUPREP BOWEL PREP	TEFLARO.....	13
.....	KIT.....	<i>telmisartan</i> .....	72
SOMAVERT.....	113, 114	<i>temazepam</i> .....	9
<i>sorine</i> .....	114	TEMIXYS.....	62
<i>sotalol</i> .....	SURE COMFORT INS.	TEMODAR.....	29
<i>sotalol af</i> .....	SYR. U-100.....	TENIVAC (PF).....	123
SPIRIVA RESPIMAT.....	97	<i>tenofovir disoproxil fumarate</i> ...	62
SPIRIVA WITH	SUTENT.....	TEPEZZA.....	100
HANDIHALER.....	28	TEPMETKO.....	29
<i>spironolactone</i> .....	<i>syeda</i> .....	<i>terazosin</i> .....	107
SPRAVATO.....	90	<i>terbinafine hcl</i> .....	46
<i>sprintec (28)</i> .....	SYLVANT.....	<i>terbutaline</i> .....	134
SPRITAM.....	28	<i>terconazole</i> .....	47
SPRYCEL.....	SYMBICORT.....	<i>testosterone</i> .....	109
<i>sps (with sorbitol)</i> .....	132	<i>testosterone cypionate</i> .....	108
<i>sronyx</i> .....	SYMDEKO.....	<i>testosterone enanthate</i> .....	109
<i>ssd</i> .....	136	TETANUS, DIPHTHERIA	
<i>stavudine</i> .....	SYMLINPEN 120.....	TOX PED(PF).....	123
STELARA.....	41	<i>tetrabenazine</i> .....	84
STIOLTO RESPIMAT.....	42	<i>tetracycline</i> .....	17
STIVARGA.....	SYMLINPEN 60.....	THALOMID.....	128
STRENSIQ.....	42	<i>theophylline</i> .....	134
<i>streptomycin</i> .....	36	THIOLA EC.....	107
STRIBILD.....	SYMPAZAN.....	<i>thioridazine</i> .....	58
SUBLOCADE.....	62	<i>thiotepa</i> .....	29
<i>subvenite</i> .....	SYMTUZA.....	<i>thiothixene</i> .....	58
<i>sucrafate</i> .....	63	<i>tiadylt er</i> .....	76
<i>sulfacetamide sodium</i> .....	114	<i>tiagabine</i> .....	36
<i>sulfacetamide sodium (acne)</i> ....	SYNERCID.....	TIBSOVO.....	29
<i>sulfacetamide-prednisolone</i> ....	11	TICE BCG.....	29
<i>sulfadiazine</i> .....	42	<i>tigecycline</i> .....	17
<i>sulfamethoxazole-</i>	SYNJARDY.....	<i>timolol maleate</i> .....	75, 129
<i>trimethoprim</i> .....	42	<i>tiopronin</i> .....	107
<i>sulfasalazine</i> .....	SYNJARDY XR.....	TIVICAY.....	62
<i>sulindac</i> .....	42	TIVICAY PD.....	62
<i>sumatriptan</i> .....	28	<i>tizanidine</i> .....	136
<i>sumatriptan succinate</i> .....	28	TOBI PODHALER.....	10
SUNOSI.....	SYNRIBO.....	<i>tobramycin</i> .....	10, 102
SUPPRELIN LA.....	28	<i>tobramycin in 0.225 % nacl</i> .....	10
	TABLOID.....	<i>tobramycin sulfate</i> .....	10
	28		
	TABRECTA.....		
	<i>tacrolimus</i> .....		
	96, 119		
	<i>tadalafil (pulm. hypertension)</i>		
	137		
	TAFINLAR.....		
	28		
	TAGRISSE.....		
	28		
	TAKHZYRO.....		
	128		
	TALZENNA.....		
	28		
	<i>tamoxifen</i> .....		
	28		
	<i>tamsulosin</i> .....		
	107		
	TARGRETIN.....		
	28		
	<i>tarina 24 fe</i> .....		
	90		
	<i>tarina fe 1-20 eq (28)</i> .....		
	90		
	TASIGNA.....		
	28		
	TAVALISSE.....		
	68		
	<i>tazarotene</i> .....		
	96		
	TAZORAC.....		
	96		
	<i>taztia xt</i> .....		
	76		
	TAZVERIK.....		
	28		
	TDVAX.....		
	123		
	TECENTRIQ.....		
	28		

<i>tobramycin-dexamethasone</i> ....	102	<i>trihexyphenidyl</i> .....	53	UCERIS.....	125
<i>tolterodine</i> .....	107	TRIKAFTA.....	136	UDENYCA.....	67
<i>topiramate</i> .....	36	<i>tri-legest fe</i> .....	90	UKONIQ.....	30
<i>toposar</i> .....	29	<i>tri-linyah</i> .....	90	UNITUXIN.....	30
<i>toremifene</i> .....	29	<i>tri-lo-estarylla</i> .....	91	UPTRAVI.....	138
<i>torseמידe</i> .....	78	<i>tri-lo-marzia</i> .....	91	<i>ursodiol</i> .....	106
TOTECT.....	128	<i>tri-lo-mili</i> .....	91	<i>valacyclovir</i> .....	65
TOUJEO MAX U-300		<i>tri-lo-sprintec</i> .....	91	VALCHLOR.....	93
SOLOSTAR.....	44	<i>trilyte with flavor packets</i> .....	106	<i>valganciclovir</i> .....	65
TOUJEO SOLOSTAR U-300		<i>trimethoprim</i> .....	11	<i>valproate sodium</i> .....	36
INSULIN.....	44	<i>tri-mili</i> .....	91	<i>valproic acid</i> .....	36
TOVIAZ.....	107	<i>trimipramine</i> .....	40	<i>valproic acid (as sodium salt)</i> ...	36
TRACLEER.....	137	TRINTELLIX.....	40	<i>valrubicin</i> .....	30
TRADJENTA.....	42	<i>tri-nymyo</i> .....	91	<i>valsartan</i> .....	72
<i>tramadol</i> .....	5	<i>tri-previfem (28)</i> .....	91	<i>valsartan-hydrochlorothiazide</i> ..	72
<i>tramadol-acetaminophen</i> .....	5	TRIPTODUR.....	114	VALTOCO.....	36
<i>trandolapril</i> .....	73	<i>tri-sprintec (28)</i> .....	91	<i>vancomycin</i> .....	11
<i>tranexamic acid</i> .....	68	TRIUMEQ.....	62	VAQTA (PF).....	123
<i>tranylcypromine</i> .....	40	<i>trivora (28)</i> .....	91	VARIVAX (PF).....	124
TRAVASOL 10 %.....	71	<i>tri-vylibra</i> .....	91	VASCEPA.....	80
<i>travoprost</i> .....	129	<i>tri-vylibra lo</i> .....	91	VEKLURY.....	65
TRAZIMERA.....	29	TRODELVY.....	29	VELCADE.....	30
<i>trazodone</i> .....	40	TROGARZO.....	62	<i>velivet triphasic regimen (28)</i> ...	91
TREANDA.....	29	TROPHAMINE 10 %.....	71	VELPHORO.....	107
TRECATOR.....	49	<i>trospium</i> .....	107	VEMLIDY.....	62
TRELEGY ELLIPTA.....	134	TRULICITY.....	42	VENCLEXTA.....	30
TRELSTAR.....	29	TRUMENBA.....	123	VENCLEXTA STARTING	
TREMFYA.....	119	TRUSELTIQ.....	29	PACK.....	30
<i>treprostinil sodium</i> .....	137	TRUXIMA.....	30	<i>venlafaxine</i> .....	40
<i>tretinoin</i> .....	96	TUKYSA.....	30	<i>verapamil</i> .....	76
<i>tretinoin (antineoplastic)</i> .....	29	<i>tulana</i> .....	91	VERSACLOZ.....	58
<i>tri femynor</i> .....	90	TURALIO.....	30	VERZENIO.....	30
<i>triamcinolone acetonide</i>		TWINRIX (PF).....	123	<i>vestura (28)</i> .....	91
.....	92, 96, 112	<i>tyblume</i> .....	91	VICTOZA 3-PAK.....	42
<i>triamterene-hydrochlorothiazid</i>		TYBOST.....	128	<i>vienva</i> .....	91
.....	78, 79	TYMLOS.....	126	<i>vigabatrin</i> .....	36
<i>trientine</i> .....	108	TYPHIM VI.....	123	<i>vigadrone</i> .....	36
<i>tri-estarylla</i> .....	90	TYSABRI.....	119	VIIBRYD.....	40
<i>trifluoperazine</i> .....	58	TYVASO.....	138	VIMIZIM.....	99
<i>trifluridine</i> .....	102	UBRELVY.....	48	VIMPAT.....	36

<i>vinorelbine</i> .....	30	XOFLUZA.....	63	ZOSTAVAX (PF).....	124
<i>viorele (28)</i> .....	91	XOLAIR.....	136	<i>zovia 1/35e (28)</i> .....	92
VIRACEPT.....	62	XOSPATA.....	31	<i>zovia 1-35 (28)</i> .....	92
VIREAD.....	62, 63	XPOVIO.....	31	ZTLIDO.....	7
VISTOGARD.....	128	XTAMPZA ER.....	5	ZULRESSO.....	40
VITRAKVI.....	30	XTANDI.....	31	<i>zumandimine (28)</i> .....	92
VIZIMPRO.....	30	<i>xulane</i> .....	91	ZYDELIG.....	32
VOCABRIA.....	63	XULTOPHY 100/3.6.....	44	ZYKADIA.....	32
<i>volnea (28)</i> .....	91	XURIDEN.....	128	ZYLET.....	102
<i>voriconazole</i> .....	46	XYOSTED.....	109	ZYNLONTA.....	32
VOSEVI.....	64	XYREM.....	137	ZYPREXA RELPREVV.....	58
VOTRIENT.....	30	YERVOY.....	31	ZYTIGA.....	32
VPRIV.....	99	YF-VAX (PF).....	124		
VRAYLAR.....	58	YONDELIS.....	31		
VUMERITY.....	84	YONSA.....	32		
<i>vyfemla (28)</i> .....	91	<i>yuvafem</i> .....	110		
<i>vylibra</i> .....	91	<i>zafemy</i> .....	92		
VYNDAMAX.....	77	<i>zafirlukast</i> .....	132		
VYNDAQEL.....	77	<i>zaleplon</i> .....	137		
VYXEOS.....	31	<i>zarah</i> .....	92		
<i>warfarin</i> .....	66	ZARXIO.....	67		
<i>wera (28)</i> .....	91	ZEJULA.....	32		
XADAGO.....	53	ZELBORAF.....	32		
XALKORI.....	31	<i>zenatane</i> .....	93		
XARELTO.....	66	ZENPEP.....	99		
XARELTO DVT-PE TREAT		ZEPZELCA.....	32		
30D START.....	66	<i>zidovudine</i> .....	63		
XATMEP.....	31	<i>ziprasidone hcl</i> .....	58		
XCOPRI.....	37	<i>ziprasidone mesylate</i> .....	58		
XCOPRI MAINTENANCE		ZIRABEV.....	32		
PACK.....	36	ZIRGAN.....	102		
XCOPRI TITRATION		ZOLADEX.....	32		
PACK.....	37	<i>zoledronic acid</i> .....	126		
XELJANZ.....	119	<i>zoledronic acid-mannitol-water</i>			
XELJANZ XR.....	119	.....	126		
XERMELO.....	106	ZOLINZA.....	32		
XGEVA.....	126	<i>zolpidem</i> .....	137		
XHANCE.....	103	<i>zonisamide</i> .....	37		
XIFAXAN.....	11	ZORBTIVE.....	114		
XIGDUO XR.....	42	ZORTRESS.....	119		





**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN**

This formulary was updated on 08/##/2021. For more recent information or other questions, please contact VNSNY CHOICE EasyCare Member Services at 1-866-783-1444 or, for TTY users, 711, 7 days a week from 8 am to 8 pm or visit [www.vnsnychoice.org](http://www.vnsnychoice.org).



**CHOICE**<sup>SM</sup>  
Health Plans

**Any questions? Call toll free**

1-866-783-1444 (TTY: 711)  
7 days a week, 8 am – 8 pm

220 East 42nd Street, 3rd Floor, New York, NY 10017  
[www.vnsnychoice.org](http://www.vnsnychoice.org)